

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

Page: 1

Compilation date: 20/08/2008

Revision date: 16/04/2012

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

 Product name:
 (Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

 CAS number:
 64724-29-4

 Index number:
 050-008-00-3

 Product code:
 OR15604

 Synonyms:
 CIS-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHENE

 (Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHENE

 (Z)-2-ETHOXYVINYL]TRIBUTYLSTANNANES

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name:	Apollo Scientific Ltd
	Units 3 & 4
	Parkway
	Denton
	Manchester
	M34 3SG
	UK
Tel:	0161 337 9971
Fax:	0161 336 6932
Email:	david.tideswell@apolloscientific.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification under CHIP:	Xn: R21; T: R25; Xi: R36/38; T: R48/23/25; N: R50/53	
Classification under CLP:	Acute Tox. 3: H301; Acute Tox. 4: H312; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
	Eye Irrit. 2: H319; Skin Irrit. 2: H315; STOT RE 1: H372	
Most important adverse effects:	Harmful in contact with skin. Toxic if swallowed. Irritating to eyes and skin. Toxic: danger	
	of serious damage to health by prolonged exposure through inhalation and if	
	swallowed. Very toxic to aquatic organisms, may cause long-term adverse effects in the	
	aquatic environment.	

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

Page: 2

2.2. Label elements

Label elements under CLP:	
Hazard statements:	H301: Toxic if swallowed.
	H312: Harmful in contact with skin.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H372: Causes damage to organs through prolonged or repeated exposure.
	H400: Very toxic to aquatic life.
	H410: Very toxic to aquatic life with long lasting effects.
Signal words:	Danger
Hazard pictograms:	GHS06: Skull and crossbones
	GHS08: Health hazard
	GHS09: Environmental
Precautionary statements:	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P309+311: IF exposed or if you feel unwell: Call a POISON CENTER or doctor.
Label elements under CHIP:	
Hazard symbols:	Dangerous for the environment.
	Toxic.
Risk phrases:	R21: Harmful in contact with skin.
	R25: Toxic if swallowed.
	R36/38: Irritating to eyes and skin.
	R48/23/25: Toxic: danger of serious damage to health by prolonged exposure through
	inhalation and if swallowed.
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
Safety phrases:	S36/37: Wear suitable protective clothing and gloves.
	S38: In case of insufficient ventilation, wear suitable respiratory equipment.
	S45: In case of accident or if you feel unwell, seek medical advice immediately (show
	the label where possible).
	S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.
2.3. Other hazards	

PBT: This substance is not identified as a PBT substance.

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

Page: 3

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: (Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.
	Drench the affected skin with running water for 10 minutes or longer if substance is still
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

- Eye contact: There may be severe pain. The eyes may water profusely.
 - **Ingestion:** There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.
 - Inhalation: There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the

surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Toxic. In combustion emits toxic fumes. Carbon oxides. Metal oxides.

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

		Page: 4
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
	with skin and eyes.	
Section 6: Accidental release n	neasures	
6.1 Personal precautions prot	ective equipment and emergency procedures	
· · · ·		
Personal precautions:	Notify the police and fire brigade immediately. If outside do not approach from	
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the	
	contaminated area with signs and prevent access to unauthorised personnel. Do not	
	attempt to take action without suitable protective clothing - see section 8 of SDS. Turn	
	leaking containers leak-side up to prevent the escape of liquid.	
6.2. Environmental precautions	3	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
6.3. Methods and material for c	ontainment and cleaning up	
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific	
	substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage	
	container for disposal by an appropriate method.	
6.4. Reference to other section	S	
Section 7: Handling and storage	je	
7.1. Precautions for safe handli	-	
	Avoid direct contact with the substance. Ensure there is exhaust ventilation of the area.	
	Avoid the formation or spread of mists in the air. Only use in fume hood.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage	
	room must be impermeable to prevent the escape of liquids. Store under Argon.	
	Recommended storage temp 2-8 °C.	
Suitable packaging:	Must only be kept in original packaging.	
7.3. Specific end use(s)		
Specific end use(s):	No data available.	
Section 8: Exposure controls/p	personal protection	
8.1. Control parameters		

8.1. Control parameters

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

Page: 5

Workplace exposure limits:			Respirable dust		
State 8 hour 1	ĩWA	15 min. STEL	8 hour TWA	15 min. STEL	ļ
UK	0.1 mg/m3	0.2 mg/m3	-	-	ļ
					ł
8.2. Exposure controls					
Engineering measures:	Ensure the	ere is exhaust ventilation of th	ne area. The floor of the store	age room must be	I
	impermea!	ble to prevent the escape of li	liquids.		I
Respiratory protection:	Self-conta	ined breathing apparatus mus	st be available in case of em	ergency.	
Hand protection:	Impermea!	ble gloves.			
Eye protection:	Safety glas	sses with side-shields. Ensure	e eye bath is to hand.		
Skin protection:	Impermeal	ble protective clothing.			
Section 9: Physical and chemi	cal proper	rties			
9.1. Information on basic phys	ical and ch	emical properties			
	Liquid				-
Solubility in water:	•	າໄອ			
Boiling point/range℃:			Flash poir	nt°C: >110	
Relative density:		č			
9.2. Other information					
Other information:	Not applic	able.			1
Section 10: Stability and react	ivity				
10.1. Reactivity					
	Stable und	der recommended transport o	or storage conditions.		L.
10.2. Chemical stability					
		der normal conditions.			
-		ier normal conditions.			
10.3. Possibility of hazardous					
	Hazardous	s reactions will not occur unde	er normal transport or storage	e conditions.	_
10.4. Conditions to avoid					
Conditions to avoid:	Heat. Hot	surfaces. Flames.			
					1
10.5. Incompatible materials					
	Strong oxid	idising agents. Strong acids.			

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Metal oxides.

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

Page: 6

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	DRM	Based on test data
Acute toxicity (ac. tox. 3)	ING	Based on test data
Skin corrosion/irritation	DRM	Based on test data
Serious eye damage/irritation	OPT	Based on test data
STOT-repeated exposure	-	Based on test data

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

Eye contact: There may be severe pain. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms.

Section 13: Disposal considerations

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

	(-, (Page: 7
13.1. Waste treatment methods		
Disposal operations:	MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND	
	FEDERAL REGULATIONS	
Disposal of packaging:	Dispose of as special waste in compliance with local and national regulations Observe	
	all federal, state and local environmental regulations.	
NB:	The user's attention is drawn to the possible existence of regional or national	
	regulations regarding disposal.	
Section 14: Transport information	ion	
14.1. UN number		
UN number:	UN2788	
14.2. UN proper shipping name	•	
Shipping name:	ORGANOTIN COMPOUND, LIQUID, N.O.S.	
14.3. Transport hazard class(e	5)	
Transport class:	6.1	
14.4. Packing group		
Packing group:	III	
14.5. Environmental hazards		
Environmentally hazardous:	Yes Marine pollutant: Yes	
14.6. Special precautions for u	ser	
Tunnel code:	E	
Transport category:	2	
Section 15: Regulatory information	ation	
15.1. Safety, health and environ	nmental regulations/legislation specific for the substance or mixture	
15.2. Chemical Safety Assessn	nent	
	A chemical safety assessment has not been carried out for the substance or the mixture	
	by the supplier.	
Section 16: Other information		
Other information		
	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* Data predicted using computational software. Toxice - Toxic Hazard Estimation by	
	* Data predicted using computational software. Toxtree - Toxic Hazard Estimation by	
	decision tree approach. http://ecb.jrc.ec.europa.eu/qsar/qsar-tools/index.php?	

(Z)-1-ETHOXY-2-(TRIBUTYLSTANNYL)ETHYLENE

		i uge.
	2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry	
	Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc_admet/tox/tox/	
Phrases used in s.2 and 3:	H301: Toxic if swallowed.	
	H312: Harmful in contact with skin.	
	H315: Causes skin irritation.	
	H319: Causes serious eye irritation.	
	H372: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>	
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""><th></th></state>	
	no other routes of exposure cause the hazard>.	
	H400: Very toxic to aquatic life.	
	H410: Very toxic to aquatic life with long lasting effects.	
	R21: Harmful in contact with skin.	
	R25: Toxic if swallowed.	
	R36/38: Irritating to eyes and skin.	
	R48/23/25: Toxic: danger of serious damage to health by prolonged exposure through	
	inhalation and if swallowed.	
	R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the	
	aquatic environment.	
Legal disclaimer:	The material is intended for research purposes only and should be handled exclusively	
	by those who have been fully trained in safety, laboratory and chemical handling	
	procedures. The above information is believed to be correct to the best of our	
	knowledge. The above information is believed to be correct to the best of our knowledge	
	at the date of its publication, but should not be considered to be all inclusive. It should	
	be used only as a guide for safe handling, storage, transportation and disposal. We	
	cannot guarantee that the hazards detailed in this document are the only hazards that	
	exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held	
	liable for any damage resulting from handling or from contact with the above product.	

Page: 8