

4-(2-AMINOETHYL)PYRIDINE

Page: 1 Compilation date: 29/09/2009 Revision date: 17/02/2023

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 4-(2-AMINOETHYL)PYRIDINE

CAS number: 13258-63-4

Product code: OR2022

Synonyms: 2-(PYRIDIN-4-YL)ETHYLAMINE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Apollo Scientific Itd Units 3 & 4 Parkway Denton Manchester M34 3SG UK Tel: 01616411420

Email: alan.myers@apolloscientific.co.uk

1.4. Emergency telephone number

Emergency tel: -

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1B: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Hazard pictograms: GHS05: Corrosion



4-(2-AMINOETHYL)PYRIDINE

Precautionary statements: P271: Use only outdoors or in a well-ventilated area. P271: Use only outdoors or in a well-ventilated area. P272: Use only outdoors or in a well-ventilated area. 2.3. Other hazards PBT: This product is not identified as a PBT/VPVB substance. Section 3: Composition/Information on ingredients 3.1. Substances Chemical identity: 4-(2-AMINOETHYL)PYRIDINE CAS number: 23.5 Section 4: First aid measures 4.1. Description of first ald measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Derech the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with nunning water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiling. Give 1 cup of water but drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casually from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casually sits or lies down. If breathing becomes bubbly, have the casually sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and	Signal words:	Danger
280: Wear protective gloves/protective clothing/eye protection/face protection. 2.3. Other hazards PBT: This product is not identified as a PBT/vPvB substance. Section 3: Composition/information on ingredients 3.1. Substances Chemical identity: 4-(2-AMINOETHYL)PYRIDINE CAS number: 13258-63-4 Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomtling. Give 1 cup of water to drink every 10 minutes. If unconscious and breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. 4.1. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: </th <th>Precautionary statements:</th> <th>P260: Do not breathe vapours.</th>	Precautionary statements:	P260: Do not breathe vapours.
2.3. Other hazards PBT: This product is not identified as a PBT/vPvB substance. Section 3: Composition/information on ingredients 3.1. Substances Chemical identity: 4-(2-AMINOETHYL)PYRIDINE CAS number: 13258-63-4 Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhelation: Remove casually from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casually sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bilistering may occur. Progressive ulceration will occur if treatment is not immediate		P271: Use only outdoors or in a well-ventilated area.
PBT: This product is not identified as a PBT/VPVB substance. Section 3: Composition/Information on ingredients 3.1. Substances Chemical identity: 4-(2-AMINOETHYL)PYRIDINE CAS number: 13258-63-4 Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casually from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.1. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage		P280: Wear protective gloves/protective clothing/eye protection/face protection.
Section 3: Composition/information on ingredients 3.1. Substances Chemical identity: 4-(2-AMINOETHYL)PYRIDINE CAS number: 13258-63-4 Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Eye contact: Correal burns may apopear around the lips. Blood may be vomited. There may	2.3. Other hazards	
3.1. Substances Chemical identity: 4-(2-AMINOETHYL)PYRIDINE CAS number: 13258-63-4 Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscicus and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bitering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Eye contact: Bitering may occur. Progressive ulceration will occur if there may be bleeding from the mouth or nose. Ingestion: Correave burus may appear a	PBT:	This product is not identified as a PBT/vPvB substance.
Chemical identity: 4-(2-AMINOETHYL)PYRIDINE CAS number: 13258-63-4 Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may appear around the lips. Blood may be vonited. There may be bleeding from the mouth or nose. Inhalation: There may be sho	Section 3: Composition/informa	ition on ingredients
CAS number: 13258-63.4 Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casually from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casuality sits or lies down. If breathing becomes bubbly, have the casuality sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.1. Most important symptoms: undefects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may opcear. May cause permanent damage. Ingestion: Corosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may	3.1. Substances	
Section 4: First aid measures 4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Correal burns may opcur. May cause permanent damage. Ingestion: Corresive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Chemical identity:	4-(2-AMINOETHYL)PYRIDINE
4.1. Description of first aid measures Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Correal burns may opcur. May cause permanent damage. Ingestion: Corresive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	CAS number:	13258-63-4
Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Section 4: First aid measures	
Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Bilstering may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	4.1. Description of first aid measure	sures
 on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bitstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. 	Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.
Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.		Drench the affected skin with running water for 10 minutes or longer if substance is still
examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.		on skin. Transfer to hospital if there are burns or symptoms of poisoning.
Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may opcur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist
 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. 		examination.
If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10
 as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. 		minutes. If unconscious, check for breathing and apply artificial respiration if necessary.
 Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. 		If unconscious and breathing is OK, place in the recovery position. Transfer to hospital
unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.		as soon as possible.
the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If
A.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.		unconscious and breathing is OK, place in the recovery position. If conscious, ensure
 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. 		the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and
 Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. 		provide oxygen if available. Transfer to hospital as soon as possible.
Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	4.2. Most important symptoms a	ind effects, both acute and delayed
Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.
bleeding from the mouth or nose. Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Eye contact:	Corneal burns may occur. May cause permanent damage.
Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.	Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be
cause coughing or wheezing.		bleeding from the mouth or nose.
	Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may
4.3. Indication of any immediate medical attention and special treatment needed		cause coughing or wheezing.
	4.3. Indication of any immediate	medical attention and special treatment needed

Section 5: Fire-fighting measures

Page: 2

4-(2-AMINOETHYL)PYRIDINE

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide,

dry chemical powder, foam.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes. Nitrogen oxides (NOx).

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Only use in fume hood

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Air sensitive. Store under Argon.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

4-(2-AMINOETHYL)PYRIDINE

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Impermeable gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Colourless	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	No data available.	
Viscosity:	No data available.	
Boiling point/range°C:	70-71@1mmHg Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available. upper:	No data available.
Flash point°C:	>110 Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available. Vapour pressure:	No data available.
Relative density:	1.021 pH :	No data available.
VOC g/l:	No data available.	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

4-(2-AMINOETHYL)PYRIDINE

10.4. Conditions to avoid

Conditions to avoid: Heat. Air.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Nitrogen oxides

(NOx).

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

4-(2-AMINOETHYL)PYRIDINE

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company. MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL,
	STATE AND FEDERAL REGULATIONS
Disposal of packaging:	Dispose of as special waste in compliance with local and national regulations Observe
	all federal, state and local environmental regulations.
ND.	The consult offerstion is decreased to the provide statement of an air and some time to

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN2735

14.2. UN proper shipping name

Shipping name: AMINES, LIQUID, CORROSIVE, N.O.S.

(4-(2-Aminoethyl)pyridine)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

4-(2-AMINOETHYL)PYRIDINE

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
	* Data predicted using computational software. The OECD QSAR-Toolbox for grouping
	chemicals into categories. Developed by LMC bulgaria.
	http://echa.europa.eu/support/oecd-qsar-toolbox
	~ Data predicted using computational software ACD/ToxSuite v 2.95.1 Copyright 1994-
	2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry
	Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc_admet/tox/tox/
Phrases used in s.2 and s.3:	H314: Causes severe skin burns and eye damage.
Legal disclaimer:	.The material is intended for research purposes only and should be handled exclusively
	by those who have been fully trained in safety, laboratory and chemical handling
	procedures. The above information is believed to be correct to the best of our
	knowledge. The above information is believed to be correct to the best of our knowledge
	at the date of its publication, but should not be considered to be all inclusive. It should
	be used only as a guide for safe handling, storage, transportation and disposal. We
	cannot guarantee that the hazards detailed in this document are the only hazards that
	exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held
	liable for any damage resulting from handling or from contact with the above product.

Page: 7