

A 🖬 CENTRAL GLASS CO., 17D. CON2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

Page: 1

Compilation date: 11/01/2011

Revision date: 25/05/2016

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

CAS number: 758-08-7

Product code: OR24255

Synonyms: 2-MERCAPTOACETAMIDE

2-SULPHANYLETHANAMIDE

2-THIOACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Apollo Scientific Ltd Units 3 & 4 Parkway Denton Manchester M34 3SG UK Tel: 0161 337 9971 Fax: 0161 336 6932 Email: david.tideswell@apolloscientific.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 2: H225; Acute Tox. 3: H301+311+331; Skin Corr. 1B: H314; STOT SE 1: H370

Most important adverse effects: Highly flammable liquid and vapour. Toxic if swallowed, in contact with skin or if inhaled.

Causes severe skin burns and eye damage. Causes damage to organs .

2.2. Label elements

Label elements:

Hazard statements:	H225: Highly flammable liquid and vapour.

H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.

H314: Causes severe skin burns and eye damage.

H370: Causes damage to organs.

Signal words: Danger

2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

Page: 2
Hazard pictograms: GHS02: Flame
GHS05: Corrosion
GHS06: Skull and crossbones
GHS08: Health hazard
Improve Improv

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

METHANOL

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301;	70-90%
			STOT SE 1: H370	

2-SULPHANYLACETAMIDE

-	758-08-7	-	STOT SE 3: H335; Eye Irrit. 2: H319;	1-10%
			Skin Irrit. 2: H315	

AMMONIA, ANHYDROUS

231-635-3	7664-41-7	-	Flam. Gas 2: H221; Acute Tox. 3:	1-10%
			H331; Skin Corr. 1B: H314; Aquatic	
			Acute 1: H400; Press. Gas: H280	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If

as soon as possible.

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10

minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital

	conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK,
	place in the recovery position. If unconscious, check for breathing and apply artificial
	respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide
	oxygen if available. Transfer to hospital as soon as possible.
4.2. Most important symptoms	and effects, both acute and delayed
Skin contact:	There may be redness or whiteness of the skin in the area of exposure. Irritation or pain
	may occur at the site of contact. Absorption through the skin may be fatal.
Eye contact:	There may be severe pain. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. There may be vomiting.
	Convulsions may occur. There may be loss of consciousness.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Absorption
	through the lungs can occur causing symptoms similar to those of ingestion.
	Convulsions may occur. There may be loss of consciousness.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.
4.3. Indication of any immediat	e medical attention and special treatment needed
Immediate / special treatment:	Immediate medical attention is required. Show this safety data sheet to the doctor in
•	attendance.
Section 5: Fire-fighting measu	res
5.1. Extinguishing media	
Extinguishing media:	Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the
	surrounding fire should be used.
5.2. Special hazards arising fro	om the substance or mixture
Exposure hazards:	Highly flammable. Toxic. Corrosive. Vapour may travel considerable distance to source
·	of ignition and flash back. In combustion emits toxic fumes of carbon dioxide / carbon
	monoxide. Nitrogen oxides (NOx). Ammonia. Sulphur oxides (SOx).
5.3. Advice for fire-fighters	
<u> </u>	
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact
	with skin and eyes.
Section 6: Accidental release r	

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Notify the police and fire brigade immediately. Eliminate all sources of ignition. If outside

Page: 3

2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

do not approach from downwind. If outside keep bystanders upwind and away from	n
danger point. Mark out the contaminated area with signs and prevent access to	
unauthorised personnel. Do not attempt to take action without suitable protective	
clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the	е
escape of liquid.	

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is exhaust ventilation of the area. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-

sparking tools. Only use in fume hood.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.
 Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

METHANOL

Workplace exposure limits:				Respirable dust	
	State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL

Page: 4

2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

				Page:
UK	-	-	333 mg/m3	266 mg/m3
AMMONIA, ANHYDROUS				
UK	18 mg/m3	25 mg/m3	-	-
DNEL/PNEC Values				
DNEL / PNEC	No data av	vailable.		
8.2. Exposure controls				
Engineering measures:	Ensure the	ere is exhaust ventilation of th	e area. Ensure lighting and	electrical equipment
	are not a s	ource of ignition.		
Respiratory protection:	Self-contai	ned breathing apparatus mu	st be available in case of em	ergency.
Hand protection:	Impermeal	ole gloves.		
Eye protection:	Safety glas	sses with side-shields. Ensu	e eye bath is to hand.	
Skin protection:	Impermeal	ole protective clothing.		
ction 9: Physical and chemic	cal proper	ties		
9.1. Information on basic physi	cal and ch	emical properties		
State:	Liquid			
	Colourless			
Odour:	STENCH			
Oxidising:	Non-oxidis	ing (by EC criteria)		
Boiling point/range℃:	64		Flash poir	nt°C: 12
Relative density:	0.89			
9.2. Other information				
Other information:	No data av	vailable.		
ction 10: Stability and reacti	vity			
10.1. Reactivity				
Reactivity:	Stable und	ler recommended transport of	r storage conditions.	
10.2. Chemical stability				
Tolei Offenniour Stubinty				
	Stable und	ler normal conditions. Stable	at room temperature.	
		ler normal conditions. Stable	at room temperature.	
Chemical stability: 10.3. Possibility of hazardous r	eactions		at room temperature. er normal transport or storag	e conditions.
Chemical stability: 10.3. Possibility of hazardous r	eactions Hazardous	reactions will not occur und		
Chemical stability: 10.3. Possibility of hazardous r	eactions Hazardous	reactions will not occur und	er normal transport or storag	
Chemical stability: 10.3. Possibility of hazardous r Hazardous reactions: 10.4. Conditions to avoid	eactions Hazardous Decompos	reactions will not occur und	er normal transport or storag to conditions or materials lis	

Materials to avoid: Strong oxidising agents. Strong acids.

2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Nitrogen oxides

(NOx). Sulphur oxides (SOx)

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

METHANOL

DERMAL	RBT	LD50	15800	mg/kg
INHALATION	RAT	LC50	64000	ppm
ORAL	RAT	LD50	5628	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 3)	INH DRM ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.

Eye contact: There may be severe pain. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

12.6. Other adverse effects Other adverse effects: No data available. Section 13: Disposal considerations 13.1. Waste treatment methods Disposal operations: MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS Disposal of packaging: Dispose of as special waste in compliance with local and national regulations Observe all federal, state and local environmental regulations. **NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Section 14: Transport information 14.1. UN number

PBT identification: This product is not identified as a PBT/vPvB substance.

Mobility: No data available.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

UN number: UN3286

14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.

(2-Thioacetamide approx 10% w/v solution in methanolic ammonia)

Marine pollutant: No

14.3. Transport hazard class(es)

Transport class: 3 (6.1+8)

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

2-SULPHANYLACETAMIDE APPROX 10% W/V SOLUTION IN METHANOLIC AMMONIA

Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixture
	by the supplier.
ction 16: Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	* Data predicted using computational software. The OECD QSAR-Toolbox for grouping
	chemicals into categories. Developed by LMC bulgaria.
	http://echa.europa.eu/support/oecd-qsar-toolbox
	~ Data predicted using computational software ACD/ToxSuite v 2.95.1 Copyright 1994-
	2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry
	Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc_admet/tox/tox/
Phrases used in s.2 and s.3:	H221: Flammable gas.
	H225: Highly flammable liquid and vapour.
	H301: Toxic if swallowed.
	H301+311+331: Toxic if swallowed, in contact with skin or if inhaled.
	H311: Toxic in contact with skin.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H331: Toxic if inhaled.
	H335: May cause respiratory irritation.
	H370: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state of<="" route="" td=""></state></or>
	exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
Legal disclaimer:	The material is intended for research purposes only and should be handled exclusively
	by those who have been fully trained in safety, laboratory and chemical handling
	procedures. The above information is believed to be correct to the best of our
	knowledge. The above information is believed to be correct to the best of our knowledge
	at the date of its publication, but should not be considered to be all inclusive. It should
	be used only as a guide for safe handling, storage, transportation and disposal. We
	cannot guarantee that the hazards detailed in this document are the only hazards that
	exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held

liable for any damage resulting from handling or from contact with the above product.

Page: 8