

## SAFETY DATA SHEET

1-CHLOROPROP-1-ENE 97%

Page: 1

Compilation date: 21/10/2011

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** 1-CHLOROPROP-1-ENE 97%

**CAS number:** 590-21-6

**EINECS number:** 209-675-8

**Product code:** OR40493

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

**Company name:** Apollo Scientific Ltd

Units 3 & 4

Parkway

Denton

Manchester

M34 3SG

UK

**Tel:** 0161 337 9971

**Fax:** 0161 336 6932

**Email:** david.tideswell@apolloscientific.co.uk

#### 1.4. Emergency telephone number

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification under CHIP:** F+: R12; -: R18; Xn: R20/21/22; Xi: R36/37/38

**Classification under CLP:** STOT SE 3: H335; Acute Tox. 4: H302+312+332; Eye Irrit. 2: H319; Flam. Liq. 2: H225; Skin Irrit. 2: H315

**Most important adverse effects:** Extremely flammable. In use, may form flammable / explosive vapour-air mixture.  
Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes, respiratory system and skin.

#### 2.2. Label elements

##### Label elements under CLP:

**Hazard statements:** H225: Highly flammable liquid and vapour.

H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

# SAFETY DATA SHEET

1-CHLOROPROP-1-ENE 97%

Page: 2

**Signal words:** Danger

**Hazard pictograms:** GHS02: Flame

GHS07: Exclamation mark



**Precautionary statements:** P280: Wear protective gloves/protective clothing/eye protection/face protection.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

**Label elements under CHIP:**

**Hazard symbols:** Extremely flammable.

Harmful.



**Risk phrases:** R12: Extremely flammable.

R18: In use, may form flammable / explosive vapour-air mixture.

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R36/37/38: Irritating to eyes, respiratory system and skin.

## 2.3. Other hazards

**Other hazards:** In use, may form flammable / explosive vapour-air mixture.

**PBT:** This substance is not identified as a PBT substance.

## Section 3: Composition/information on ingredients

### 3.1. Substances

**Chemical identity:** 1-CHLOROPROP-1-ENE 97%

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

[cont...]

# SAFETY DATA SHEET

1-CHLOROPROP-1-ENE 97%

Page: 3

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the surrounding fire should be used.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Highly flammable. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source of ignition and flash back. In combustion emits toxic fumes. Carbon oxides. Hydrogen chloride (HCl).

### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may produce sparks.

### 6.4. Reference to other sections

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. Only use in fume hood.

[cont...]

# SAFETY DATA SHEET

1-CHLOROPROP-1-ENE 97%

Page: 4

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition. Recommended storage temp 2-8 °C.

**Suitable packaging:** Must only be kept in original packaging.

## 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** Not applicable.

### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Impermeable gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** colourless - yellow

**Solubility in water:** Insoluble

**Also soluble in:** Acetone. Benzene. Chloroform. Ether.

**Boiling point/range °C:** 38

**upper:** 16

**Flammability limits %: lower:** 4.5

**Flash point °C:** -4

**Part.coeff. n-octanol/water:** log Pow: 2.04

**Vapour pressure:** 57kPa/20 °C

**Relative density:** 0.92 g/cm<sup>3</sup>

### 9.2. Other information

**Other information:** Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

[cont...]

# SAFETY DATA SHEET

1-CHLOROPROP-1-ENE 97%

Page: 5

## 10.2. Chemical stability

**Chemical stability:** Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

## 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Hot surfaces. Sources of ignition. Flames.

## 10.5. Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Hydrogen chloride (HCl).

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicity values:

Route	Species	Test	Value	Units
ORAL	RAT	LD50	1950	mg/kg
DERMAL	RBT	LD50	20	mL/kg
INHALATION	RAT	4H LCLo	32000	ppm

#### Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH DRM ING	Based on test data
Skin corrosion/irritation	DRM	Based on test data
Serious eye damage/irritation	OPT	Based on test data
STOT-single exposure	INH	Based on test data

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Other information:** RTECS: UC7175000

## Section 12: Ecological information

[cont...]

# SAFETY DATA SHEET

1-CHLOROPROP-1-ENE 97%

Page: 6

## 12.1. Toxicity

**Ecotoxicity values:** Not applicable.

## 12.2. Persistence and degradability

**Persistence and degradability:** No data available.

## 12.3. Bioaccumulative potential

**Bioaccumulative potential:** Bioconcentration factor (BCF): 21

## 12.4. Mobility in soil

**Mobility:** log Pow: 2.04, soil absorption (Koc): 44, Henry's Law constant (PaM<sup>3</sup>/mol): 5.6x10<sup>3</sup>.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This substance is not identified as a PBT substance.

## 12.6. Other adverse effects

**Other adverse effects:** No data available.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal operations:** MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

**Disposal of packaging:** Dispose of as special waste in compliance with local and national regulations Observe all federal, state and local environmental regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## Section 14: Transport information

### 14.1. UN number

**UN number:** UN1993

### 14.2. UN proper shipping name

**Shipping name:** FLAMMABLE LIQUID, N.O.S.

### 14.3. Transport hazard class(es)

**Transport class:** 3

### 14.4. Packing group

**Packing group:** I

### 14.5. Environmental hazards

**Environmentally hazardous:** No

**Marine pollutant:** No

### 14.6. Special precautions for user

**Tunnel code:** D/E

[cont...]

# SAFETY DATA SHEET

1-CHLOROPROP-1-ENE 97%

Page: 7

Transport category: 1

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

---

\* Data predicted using computational software. Toxtree - Toxic Hazard Estimation by decision tree approach. <http://ecb.jrc.ec.europa.eu/qsar/qsar-tools/index.php?c=TOXTREE>

~ Data predicted using computational software ACD/ToxSuite v 2.95.1 Copyright 1994-2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry Development, Inc (ACD/Labs). [http://www.acdlabs.com/products/pc\\_admet/tox/tox/](http://www.acdlabs.com/products/pc_admet/tox/tox/)

**Phrases used in s.2 and 3:** H225: Highly flammable liquid and vapour.  
H302+312+332: Harmful if swallowed, in contact with skin or if inhaled.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
R12: Extremely flammable.  
R18: In use, may form flammable / explosive vapour-air mixture.  
R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.  
R36/37/38: Irritating to eyes, respiratory system and skin.

**Legal disclaimer:** The material is intended for research purposes only and should be handled exclusively by those who have been fully trained in safety, laboratory and chemical handling procedures. The above information is believed to be correct to the best of our knowledge. The above information is believed to be correct to the best of our knowledge at the date of its publication, but should not be considered to be all inclusive. It should be used only as a guide for safe handling, storage, transportation and disposal. We cannot guarantee that the hazards detailed in this document are the only hazards that exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.