

Apollo Scientific

Part Number: OR72778
Version No: 1.1
Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878)

Issue Date: 13/09/2023

Print Date: 13/09/2023 S.REACH.GB-NIR.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name	4-Bromo-2-chloro-5-iodobenzenesulfonyl chloride		
Synonyms	Not Available		
Proper shipping name	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.		
Other means of identification	Not Available		
CAS number	2384817-98-3*		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Not Available	
Uses advised against	No specific uses advised against are identified.	

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	Apollo Scientific Apollo Scientific Itd			
Address	Whitefield Road, Bredbury SK62QR United Kingdom Whitefield Road, Bredbury SK62QR Northern Ireland (UK)			
Telephone	01614060505 +44(0) 161 406 0505			
Fax	0161 406 0506	Not Available		
Website	http://www.apolloscientific.co.uk/	polloscientific.co.uk/ apolloscientific.co.uk		
Email	sales@apolloscientific.co.uk	sales@apolloscientific.co.uk		

1.4. Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments ^[1]	H314 - Skin Corrosion/Irritation Category 1B, H318 - Serious Eye Damage/Eye Irritation Category 1				
Legend:	1. Classified by Chernwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI				
. Label elements					
Hazard pictogram(s)	L Pres				

Signal word Danger

Version No: 1.1

Page 2 of 11

4-Bromo-2-chloro-5-iodobenzenesulfonyl chloride

H314 Causes severe skin burns and eye damage.

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P260	Do not breathe dust/fume.		
P264	Wash all exposed external body areas thoroughly after handling.		
P280	Wear protective gloves, protective clothing, eye protection and face protection.		

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician/first aider.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary statement(s) Storage

P405	Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

1. CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
Legend: 1. Classified by Chernwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L * EU IOELVs available; [e]					

Legend: 1. Classified by Chernwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L; * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties

3.2.Mixtures

See 'Information on ingredients' in section 3.1

SECTION 4 First aid measures

4.1. Description of first aid measures						
Eye Contact	 If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. 					
Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor. 					
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719) 					

Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.
-----------	---

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues.
- INGESTION:
- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

- Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- Deep second-degree burns may benefit from topical silver sulfadiazine.
- EYE:
- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

5.1. Extinguishing media

Foam.

- Dry chemical powder.BCF (where regulations permit).
- BCF (where regulated as the second sec
- Water spray or fog Large fires only.

5.2. Special hazards arising from the substrate or mixture

```
Fire Incompatibility + Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
```

5.3. Advice for firefighters

Fire Fighting	
Fire/Explosion Hazard	 Combustible. Slight fire hazard when exposed to heat or flame. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas. Heating may cause expansion or decomposition leading to violent rupture of containers. May emit acrid smoke and corrosive fumes. Combustion products include: carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products typical of burning organic material.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks. Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust.
--------------	---

Version No: 1.1

Page 4 of 11

4-Bromo-2-chloro-5-iodobenzenesulfonyl chloride

Place in a suitable, labelled container for waste disposal.

Major Spills

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handl	ing
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Fire and explosion protection	See section 5
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	 DO NOT use aluminium or galvanised containers Check regularly for spills and leaks Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. For low viscosity materials Drums and jerricans must be of the non-removable head type. Where a can is to be used as an inner package, the can must have a screwed enclosure. For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.): Removable head packaging; Cans with friction closures and low pressure tubes and cartridges may be used. Where combination packages are used, and the inner packages are of glass, porcelain or stoneware, there must be sufficient inert cushioning material in contact with inner and outer packages unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.
Storage incompatibility	 Segregate from alkalies, oxidising agents and chemicals readily decomposed by acids, i.e. cyanides, sulfides, carbonates. Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air. Avoid strong bases. Light Sensitive Moisture sensitive Store under Argon
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
Not Available	Not Available	Not Available

* Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Not Applicable						
Emergency Limits						
Ingredient	TEEL-1		TEEL-2		TEEL-3	
4-Bromo-2-chloro- 5-iodobenzenesulfonyl chloride	Not Available		Not Available		Not Available	
Ingredient	Original IDLH			Revised IDLH		

Not Available

8.2. Exposure controls

5-iodobenzenesulfonyl chloride

Not Available

4-Bromo-2-chloro-

CIEL Expectate controlo				
8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place be highly effective in protecting workers and will typically be The basic types of engineering controls are: Process controls which involve changing the way a job acti Enclosure and/or isolation of emission source which keeps "adds" and "removes" air in the work environment. Ventilati ventilation system must match the particular process and c Employers may need to use multiple types of controls to pr Local exhaust ventilation usually required. If risk of overexp protection. Supplied-air type respirator may be required in : An approved self contained breathing apparatus (SCBA) m Provide adequate ventilation in warehouse or closed storag velocities which, in turn, determine the "capture velocities" Type of Contaminant: solvent, vapours, degreasing etc., evaporating from tank for aerosols, fumes from pouring operations, intermittent con drift, plating acid fumes, pickling (released at low velocity direct spray, spray painting in shallow booths, drum filling generation into zone of rapid air motion) grinding, abrasive blasting, tumbling, high speed wheel ge very high rapid air motion). Within each range the appropriate value depends on: Lower end of the range 1: Room air currents minimal or favourable to capture 2: Contaminants of low toxicity or of nuisance value only. 3: Intermittent, low production. 4: Large hood or large air mass in motion Simple theory shows that air velocity falls rapidly with dista with the square of distance from the extraction point (in sim accordingly, after reference to distance from the contamina 1-2 m/s (200-400 f/min) for extraction of solvents generater producing performance deficits within the extraction appara more when extraction systems are installed or used.	e independent of worker interactio ivity or process is done to reduce t a selected hazard "physically" aw ion can remove or dilute an air cor- hemical or contaminant in use. revent employee overexposure. Dosure exists, wear approved resp special circumstances. Correct fit i hay be required in some situations ge area. Air contaminants generate of fresh circulating air required to (in still air). tainer filling, low speed conveyer t into zone of active generation) , conveyer loading, crusher dusts, enerated dusts (released at high in Upper end of the range 1: Disturbing room air currents 2: Contaminants of high toxicity 3: High production, heavy use 4: Small hood-local control only nce away from the opening of a si pple cases). Therefore the air spee ting source. The air velocity at the d in a tank 2 meters distant from th	ns to provide this high level he risk. 'ay from the worker and veni itaminant if designed proper irator. Correct fit is essential is essential to ensure adequ ed in the workplace possess effectively remove the conta ransfers, welding, spray gas discharge (active hitial velocity into zone of itial velocity into zone of extraction pipe. Veloci e extraction point sho e extraction fan, for example, he extraction point. Other me	of protection. ilation that strategically ly. The design of a to obtain adequate ate protection. varying "escape" minant. Air Speed: 0.25-0.5 m/s (50-100 f/min.) 0.5-1 m/s (100-200 f/min.) 1-2.5 m/s (200-500 f/min.) 2.5-10 m/s (500-2000 f/min.) y generally decreases uld be adjusted, should be a minimum of echanical considerations,
8.2.2. Individual protection measures, such as personal protective equipment		3		
Eye and face protection	 Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure. Chemical goggles. Whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted. [AS/NZS 1337.1, EN166 or national equivalent] Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection. Alternatively a gas mask may replace splash goggles and face shields. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed is a clean environment only after workpace have haved the thermute the further long cores and environ length the removed is a clean environment only after workpace have a begin the thermute the proved at the first signs of eye redness or irritation - lens should be removed is a clean environment only after workpace have device thermute hy COC NICSE Current Hurdilingence Ruletin 501. 			

a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

Skin protection	See Hand protection below
Hands/feet protection	Elbow length PVC gloves
Body protection	See Other protection below
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit. Ensure there is ready access to a safety shower.

Respiratory protection

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Contact with alkaline material liberates heat
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness.			
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.			
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.			
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivit and completely.	y to light and burns.	Mild burns of the epithelia generally recover rapidly	
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. Irritation of airways to lung, with cough, and inflammation of lung tissue often occurs. Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.			
4-Bromo-2-chloro-	TOVICITY			
5-iodobenzenesulfonyl chloride	TOXICITY IRRITATION Not Available Not Available			
Legend:	 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances 			
	specified data extracted from KTECS - Register of Toxic Effect of chemica	al Substances		
4-Bromo-2-chloro- 5-iodobenzenesulfonyl chloride	Asthma-like symptoms may continue for months or even years after exposi- known as reactive airways dysfunction syndrome (RADS) which can occu criteria for diagnosing RADS include the absence of previous airways dise asthma-like symptoms within minutes to hours of a documented exposure airflow pattern on lung function tests, moderate to severe bronchial hypern lymphocytic inflammation, without eosinophilia. RADS (or asthma) followin the concentration of and duration of exposure to the irritating substance. Or result of exposure due to high concentrations of irritating substance (often disorder is characterized by difficulty breathing, cough and mucus product	sure to the material ir after exposure to asse in a non-atopic e to the irritant. Othe reactivity on methac ng an irritating inhal On the other hand, i a particles) and is co	high levels of highly irritating compound. Main individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a	
4-Bromo-2-chloro- 5-iodobenzenesulfonyl	Asthma-like symptoms may continue for months or even years after exposit known as reactive airways dysfunction syndrome (RADS) which can occur criteria for diagnosing RADS include the absence of previous airways dise asthma-like symptoms within minutes to hours of a documented exposure airflow pattern on lung function tests, moderate to severe bronchial hypern lymphocytic inflammation, without eosinophilia. RADS (or asthma) followin the concentration of and duration of exposure to the irritating substance. O result of exposure due to high concentrations of irritating substance (often	sure to the material ir after exposure to asse in a non-atopic e to the irritant. Othe reactivity on methac ng an irritating inhal On the other hand, i a particles) and is co	high levels of highly irritating compound. Main individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to ndustrial bronchitis is a disorder that occurs as a	
4-Bromo-2-chloro- 5-iodobenzenesulfonyl chloride	Asthma-like symptoms may continue for months or even years after exposit known as reactive airways dysfunction syndrome (RADS) which can occur criteria for diagnosing RADS include the absence of previous airways dise asthma-like symptoms within minutes to hours of a documented exposure airflow pattern on lung function tests, moderate to severe bronchial hypern lymphocytic inflammation, without eosinophilia. RADS (or asthma) followin the concentration of and duration of exposure to the irritating substance. (often disorder is characterized by difficulty breathing, cough and mucus product	sure to the material ir after exposure to ease in a non-atopic e to the irritant. Othe reactivity on methac ng an irritating inhal On the other hand, i n particles) and is co tion.	high levels of highly irritating compound. Main individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a impletely reversible after exposure ceases. The	
4-Bromo-2-chloro- 5-iodobenzenesulfonyl chloride Acute Toxicity	Asthma-like symptoms may continue for months or even years after exposit known as reactive airways dysfunction syndrome (RADS) which can occur criteria for diagnosing RADS include the absence of previous airways dise asthma-like symptoms within minutes to hours of a documented exposure airflow pattern on lung function tests, moderate to severe bronchial hyperi lymphocytic inflammation, without eosinophilia. RADS (or asthma) followin the concentration of and duration of exposure to the irritating substance. Or result of exposure due to high concentrations of irritating substance (often disorder is characterized by difficulty breathing, cough and mucus product	sure to the material ir after exposure to lease in a non-atopic to the irritant. Other reactivity on methac on an irritating inhal. On the other hand, in a particles) and is contion. Carcinogenicity	high levels of highly irritating compound. Main individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a impletely reversible after exposure ceases. The	
4-Bromo-2-chloro- 5-iodobenzenesulfonyl chloride Acute Toxicity Skin Irritation/Corrosion	Asthma-like symptoms may continue for months or even years after exposit known as reactive airways dysfunction syndrome (RADS) which can occur criteria for diagnosing RADS include the absence of previous airways dise asthma-like symptoms within minutes to hours of a documented exposure airflow pattern on lung function tests, moderate to severe bronchial hypern lymphocytic inflammation, without eosinophilia. RADS (or asthma) followin the concentration of and duration of exposure to the irritating substance. Our result of exposure due to high concentrations of irritating substance (often disorder is characterized by difficulty breathing, cough and mucus product	sure to the material ir after exposure to l ease in a non-atopic ease in a non-atopic to the irritant. Othe reactivity on methac ng an irritating inhal On the other hand, i particles) and is co tion. Carcinogenicity Reproductivity	high levels of highly irritating compound. Main individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to industrial bronchitis is a disorder that occurs as a impletely reversible after exposure ceases. The X X X	
4-Bromo-2-chloro- 5-iodobenzenesulfonyl chloride Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin	Asthma-like symptoms may continue for months or even years after exposit known as reactive airways dysfunction syndrome (RADS) which can occur criteria for diagnosing RADS include the absence of previous airways dise asthma-like symptoms within minutes to hours of a documented exposure airflow pattern on lung function tests, moderate to severe bronchial hypern lymphocytic inflammation, without eosinophilia. RADS (or asthma) followin the concentration of and duration of exposure to the irritating substance. Or result of exposure due to high concentrations of irritating substance (often disorder is characterized by difficulty breathing, cough and mucus product X STOT - STOT - STOT - STOT - Rep	sure to the material ir after exposure to lease in a non-atopic e to the irritant. Othe reactivity on methac ng an irritating inhal On the other hand, i a particles) and is co tion. Carcinogenicity Reproductivity Single Exposure	high levels of highly irritating compound. Main individual, with sudden onset of persistent r criteria for diagnosis of RADS include a reversible sholine challenge testing, and the lack of minimal ation is an infrequent disorder with rates related to industrial bronchittis is a disorder that occurs as a impletely reversible after exposure ceases. The X X	

Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

12.1. Toxicity

4-Bromo-2-chloro-	Endpoint	Test Duration (hr)	Species	Value	Source
5-iodobenzenesulfonyl chloride	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

Prevent, by any means available, spillage from entering drains or water courses. **DO NOT** discharge into sewer or waterways.

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients
12.4. Mobility in soil	

Ingredient	Mobility
	No Data available for all ingredients

12.5. Results of PBT and vPvB assessment

	Р	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			No
vPvB			No

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal	 Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatment should involve: Mixing or slurrying in water; Neutralisation with soda-lime or soda-ash followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material) Decontaminate empty containers with 5% aqueous sodium hydroxide or soda ash, followed by water. Observe all label safeguards until containers are cleaned and destroyed.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 Transport information

Labels Required Marine Pollutant NO HAZCHEM 2X

Land transport (ADR-RID)

14.1. UN number or ID number	3261
---------------------------------	------

4-

I-Bromo-2-chloro-5-iodobenzenesulfony	/l chloride
---------------------------------------	-------------

14.2. UN proper shipping name	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.		
14.3. Transport hazard class(es)	Class 8 Subsidiary risk Not Applica	able	
14.4. Packing group	II		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Hazard identification (Kemler) Classification code Hazard Label Special provisions Limited quantity	C4 8 274	
	Tunnel Restriction Code	1 kg 2 (E)	

Air transport (ICAO-IATA / DGR)

14.1. UN number	3261		
14.2. UN proper shipping name	Corrosive solid, acidic, organic, n.o.s. *		
	ICAO/IATA Class	8	
14.3. Transport hazard class(es)	ICAO / IATA Subsidiary Hazard	Not Applicable	
01033(03)	ERG Code	8L	
14.4. Packing group	11		
14.5. Environmental hazard	Not Applicable		
	Special provisions		A3 A803
	Cargo Only Packing Instructions		863
	Cargo Only Maximum Qty / Pack		50 kg
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		859
user	Passenger and Cargo Maximum Qty / Pack		15 kg
	Passenger and Cargo Limited Qu	Passenger and Cargo Limited Quantity Packing Instructions	
	Passenger and Cargo Limited Ma	aximum Qty / Pack	5 kg

Sea transport (IMDG-Code / GGVSee)

3261		
CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.		
IMDG Class 8 IMDG Subrisk Not Applicable		
I		
Not Applicable		
EMS NumberF-A, S-BSpecial provisions274Limited Quantities1 kg		

Inland waterways transport (ADN)

14.1. UN number	3261
14.2. UN proper shipping name	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
14.3. Transport hazard class(es)	8 Not Applicable
14.4. Packing group	II
14.5. Environmental hazard	Not Applicable
14.6. Special precautions for user	Classification code C4 Special provisions 274
	Limited quantity 1 kg
	Equipment required PP, EP
	Fire cones number 0

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Ship Type

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

14.7.3. Transport in bulk in accordance with the IGC Code

Product name

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Not Available
Canada - DSL	Not Available
Canada - NDSL	Not Available
China - IECSC	Not Available
Europe - EINEC / ELINCS / NLP	Not Available
Japan - ENCS	Not Available
Korea - KECI	Not Available
New Zealand - NZIoC	Not Available
Philippines - PICCS	Not Available
USA - TSCA	Not Available
Taiwan - TCSI	Not Available
Mexico - INSQ	Not Available
Vietnam - NCI	Not Available
Russia - FBEPH	Not Available
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	13/09/2023
Initial Date	13/09/2023

Full text Risk and Hazard codes

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered. For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

PC - TWA: Permissible Concentration-Time Weighted Average

PC - STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancel

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit,

IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure
Skin Corrosion/Irritation Category 1B, H314	Expert judgement
Serious Eye Damage/Eye Irritation Category 1, H318	Calculation method

Powered by AuthorITe, from Chemwatch.