

4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

Page: 1

Compilation date: 14/03/2017

Revision date: 13/03/2023

Revision No: 2

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

CAS number: 622381-67-3

Product code: OR9695

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Apollo Scientific Itd

Units 3 & 4 Parkway Denton Manchester M34 3SG UK Tel: 01616411420

Email: alan.myers@apolloscientific.co.uk

1.4. Emergency telephone number

Emergency tel: -

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Skin Corr. 1B: H314

Most important adverse effects: Harmful if swallowed. Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:	
Hazard statements:	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
Hazard pictograms:	GHS05: Corrosion
	GHS07: Exclamation mark



4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

Page: 2

Signal words: Danger

Precautionary statements: P260: Do not breathe dust.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: 4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

CAS number: 622381-67-3

Section 4: First aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms Effects, both acute and delayed Skin contact: Bitstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.	4.1. Description of first aid measures		
 on skin. Transfer to hospital if there are burns or symptoms of poisoning. Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be 	Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.	
Eye contact:Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.Ingestion:Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.Inhalation:Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.4.2. Most important symptoms and effects, both acute and delayedBilstering may occur. Progressive ulceration will occur if treatment is not immediate. Corneal burns may occur. May cause permanent damage. Ingestion:Corrosive burns may appear around the lips. Blood may be vomited. There may be		-	
examination. Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be		on skin. Transfer to hospital if there are burns or symptoms of poisoning.	
Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Bilstering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be	Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist	
minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be		examination.	
If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be	Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10	
as soon as possible. Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be		minutes. If unconscious, check for breathing and apply artificial respiration if necessary.	
Inhalation:Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.4.2. Most important symptoms and effects, both acute and delayedSkin contact:Blistering may occur. Progressive ulceration will occur if treatment is not immediate.Eye contact:Corneal burns may occur. May cause permanent damage.Ingestion:Corrosive burns may appear around the lips. Blood may be vomited. There may be		If unconscious and breathing is OK, place in the recovery position. Transfer to hospital	
unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be		as soon as possible.	
the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be	Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If	
4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be		unconscious and breathing is OK, place in the recovery position. If conscious, ensure	
4.2. Most important symptoms and effects, both acute and delayed Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be		the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and	
Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate. Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be		provide oxygen if available. Transfer to hospital as soon as possible.	
Eye contact: Corneal burns may occur. May cause permanent damage. Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be	Nost important symptoms a	and effects, both acute and delayed	
Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be	Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.	
	Eye contact:	Corneal burns may occur. May cause permanent damage.	
bleeding from the mouth or nose.	Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be	
		bleeding from the mouth or nose.	
Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may	Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may	
cause coughing or wheezing.		cause coughing or wheezing.	
4.3. Indication of any immediate medical attention and special treatment needed	ndication of any immediate	e medical attention and special treatment needed	

Section 5: Fire-fighting measures

4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

		Page:
5.1. Extinguishing media		
Extinguishing media:	Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the	
	surrounding fire should be used. Use water spray to cool containers.	
5.2. Special hazards arising from	m the substance or mixture	
Exposure hazards:	Corrosive. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.	
	Nitrogen oxides (NOx).	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
	with skin and eyes.	
ction 6: Accidental release m	neasures	
6.1. Personal precautions, prote	ective equipment and emergency procedures	
Personal precautions:	Notify the police and fire brigade immediately. If outside keep bystanders upwind and	
	away from danger point. Mark out the contaminated area with signs and prevent access	
	to unauthorised personnel. Do not attempt to take action without suitable protective	
	clothing - see section 8 of SDS. Do not create dust.	
6.2. Environmental precautions		
Environmental precautions:	Do not discharge into drains or rivers.	
6.3. Methods and material for co	ontainment and cleaning up	
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific	
	substance. Transfer to a closable, labelled salvage container for disposal by an	
	appropriate method.	
6.4. Reference to other sections		
ection 7: Handling and storag	e	
7.1. Precautions for safe handli	ng	
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.	
	Do not handle in a confined space. Avoid the formation or spread of dust in the air. Only	
	use in fume hood.	
7.2. Conditions for safe storage	, including any incompatibilities	
Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed.	
	Must only be kept in original packaging.	
7.3. Specific end use(s)		
Specific and use(s):	Ne data available	

Specific end use(s): No data available.

4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Respiratory
	protective device with particle filter.
Hand protection:	Protective gloves.
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Solid		
Colour:	Pale yellow		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Viscosity:	No data available.		
Boiling point/range°C:	No data available.	Melting point/range°C:	52-53
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Nitrogen oxides

(NOx).

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

Page: 6

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods	
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company. MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL,
	STATE AND FEDERAL REGULATIONS
Disposal of packaging:	Dispose of as special waste in compliance with local and national regulations Observe
	all federal, state and local environmental regulations.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN2923

14.2. UN proper shipping name

Shipping name: CORROSIVE SOLID, TOXIC, N.O.S.

14.3. Transport hazard class(es)

Transport class: 8 (6.1)

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Marine pollutant: No

4-[4-(HYDROXYMETHYL)BENZYL]PIPERAZINE, N1-BOC PROTECTED 95%

Page: 7

Section 16: Other information

Other information Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 * Data predicted using computational software. The OECD QSAR-Toolbox for grouping chemicals into categories. Developed by LMC bulgaria. http://echa.europa.eu/support/oecd-qsar-toolbox ~ Data predicted using computational software ACD/ToxSuite v 2.95.1 Copyright 1994-2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc admet/tox/tox/ Phrases used in s.2 and s.3: H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. Legal disclaimer: . The material is intended for research purposes only and should be handled exclusively by those who have been fully trained in safety, laboratory and chemical handling procedures. The above information is believed to be correct to the best of our knowledge. The above information is believed to be correct to the best of our knowledge at the date of its publication, but should not be considered to be all inclusive. It should be used only as a guide for safe handling, storage, transportation and disposal. We cannot guarantee that the hazards detailed in this document are the only hazards that exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.