

Apollo Scientific

Part Number: **OR9845** Version No: **1.1** Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Chemwatch Hazard Alert Code: 3

Issue Date: **16/05/2022** Print Date: **24/04/2023** S.REACH.GBR.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

| Product name | Aminopiperidine, N1-BOC protected | |
|----------------------------------|---|--|
| Chemical Name | 1-Boc-4-aminopiperidine | |
| Synonyms | Available | |
| Proper shipping name | NES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S. | |
| Chemical formula | ot Available | |
| Other means of identification | ot Available | |
| CAS number | 37120-72-7* | |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Relevant identified uses | Not Available | |
|--------------------------|--|--|
| Uses advised against | No specific uses advised against are identified. | |

1.3. Details of the manufacturer or supplier of the safety data sheet

| Registered company name | Apollo Scientific | |
|-------------------------|---|--|
| Address | Whitefield Road, Bredbury SK62QR United Kingdom | |
| Telephone | 01614060505 | |
| Fax | 0161 406 0506 | |
| Website | nttp://www.apolloscientific.co.uk/ | |
| Email | sales@apolloscientific.co.uk | |

1.4. Emergency telephone number

| Association / Organisation | Not Available |
|-----------------------------------|---------------|
| Emergency telephone numbers | Not Available |
| Other emergency telephone numbers | Not Available |

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

 Classification according to regulation (EC) No
 H314 - Skin Corrosion/Irritation Category 1B, H290 - Corrosive to Metals Category 1, H318 - Serious Eye Damage/Eye Irritation

 1272/2008 [CLP] and amendments ^[1]
 Category 1, H302 - Acute Toxicity (Oral) Category 4

Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

| Hazard pictogram(s) | |
|---------------------|--------|
| | |
| Signal word | Danger |

Hazard statement(s)

| H314 | Causes severe skin burns and eye damage. |
|------|--|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |

Supplementary Phrases

Not Applicable

Precautionary statement(s) Prevention

| P260 | Do not breathe dust/fume. |
|------|--|
| P264 | Wash all exposed external body areas thoroughly after handling. |
| P280 | Wear protective gloves, protective clothing, eye protection and face protection. |
| P234 | Keep only in original packaging. |
| P270 | Do not eat, drink or smoke when using this product. |

Precautionary statement(s) Response

| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. | | |
|----------------|---|--|--|
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. | | |
| P305+P351+P338 | IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | | |
| P310 | Immediately call a POISON CENTER/doctor/physician/first aider. | | |
| P363 | Wash contaminated clothing before reuse. | | |
| P390 | Absorb spillage to prevent material damage. | | |
| P301+P312 | IF SWALLOWED: Call a POISON CENTER/doctor/physician/first aider if you feel unwell. | | |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | | |

Precautionary statement(s) Storage

| P405 | Store locked up. |
|------|------------------|
| | |

Precautionary statement(s) Disposal

| P501 | Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation. |
|------|--|
|------|--|

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

| 1.CAS No 2.EC No 3.Index No 4.REACH No | %[weight] | Name | Classification according to regulation (EC) No 1272/2008 [CLP] and amendments | SCL / M-Factor | Nanoform Particle Characteristics |
|---|-----------|--|---|-------------------|--------------------------------------|
| Not Available | 100 | 4-Aminopiperidine, N1-BOC protected | Not Applicable | Not Applicable | Not Available |

Legend: 1. Classified by Chernwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L; * EU IOELVs

available; [e] Substance identified as having endocrine disrupting properties

3.2.Mixtures

See 'Information on ingredients' in section 3.1

SECTION 4 First aid measures

| Eye Contact | If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|---|
| Skin Contact | If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre Transport to hospital, or doctor. |
| Inhalation | If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719) |
| Ingestion | For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay. |

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

- For acute or short-term repeated exposures to highly alkaline materials:
- * Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- The presence of shock suggests perforation and mandates an intravenous line and fluid administration.
- Damage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue.

Alkalis continue to cause damage after exposure.

INGESTION:

- Milk and water are the preferred diluents
- No more than 2 glasses of water should be given to an adult.
- Neutralising agents should never be given since exothermic heat reaction may compound injury.
- * Catharsis and emesis are absolutely contra-indicated.
- * Activated charcoal does not absorb alkali.

* Gastric lavage should not be used.

- Supportive care involves the following:
- Withhold oral feedings initially.
- If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.

* Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.

Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia). SKIN AND EYE:

Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

SECTION 5 Firefighting measures

5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

| Fire Incompatibility Not | one known. |
|--------------------------|------------|
|--------------------------|------------|

5.3. Advice for firefighters

| Fire Fighting | |
|-----------------------|---|
| Fire/Explosion Hazard | Non combustible. Not considered a significant fire risk, however containers may burn. May emit corrosive fumes. |

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

| Minor Spills | Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks. Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal. |
|--------------|--|
| Major Spills | |

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

| Safe handling | Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. |
|---------------|---|
| Safe handling | Keep containers securely sealed when not in use. Avoid physical damage to containers. |
| | |
| | |
| | |
| | Observe manufacturer's storage and handling recommendations contained within this SDS. |
| | Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are |
| | maintained. |

| Fire and explosion protection | See section 5 |
|----------------------------------|--|
| Other information | Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. DO NOT store near acids, or oxidising agents No smoking, naked lights, heat or ignition sources. |

7.2. Conditions for safe storage, including any incompatibilities

| Suitable container | Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks. For low viscosity materials Drums and jerricans must be of the non-removable head type. Where a can is to be used as an inner package, the can must have a screwed enclosure. For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.): Removable head packaging; Cans with friction closures and low pressure tubes and cartridges may be used. Where combination packages are used, and the inner packages are of glass, porcelain or stoneware, there must be sufficient inert cushioning material in contact with inner and outer packages unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic. |
|---|--|
| Storage incompatibility | Avoid strong acids, acid chlorides, acid anhydrides and chloroformates. Amines are incompatible with: isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. strong reducing agents such as hydrides, due to the liberation of flammable gas. Amines possess a characteristic ammonia smell, liquid amines have a distinctive "fishy" smell. Amines are formally derivatives of ammonia, wherein one or more hydrogen atoms have been replaced by a substituent such as an alkyl or aryl group. Compounds with a nitrogen atom attached to a carbonyl group, thus having the structure R–CO–NR'R?, are called amides and have different chemical properties from amines. The water solubility of simple amines is enhanced by hydrogen bonding involving these lone electron pairs. Typically salts of armonium compounds exhibit the following order of solubility in water: primary ammonium (RNH+3) > secondary ammonium (R2NH+2) > tertiary ammonium (R3NH+1). Small aliphatic amines display significant solubility in many solvents, whereas those with large substituents are lipophilic. Aromatic amines, such as aniline, have their lone pair electrons conjugated into the benzene ring, thus their tendency to engage in hydrogen bonding is diminished. Their boiling points are high and their solubility in water is low. Like ammonia, amines are bases. Compared to alkali metal hydroxides, amines are weaker. The electronic properties of the substituents (alkyl groups enhance the basicity, aryl groups diminish it). The degree of solvation of the protonated amine, which includes steric hindrance by the groups on nitrogen. Owing to inductive effects, the basicity of amines. N-H groups strongly interact with water, especially in ammonium ions. Consequently, the basicity of aromatic amines. Solvation significantly affects |
| Hazard categories in accordance with Regulation (EC) No 1272/2008 | Not Available |
| Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of | Not Available |

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

| Ingredient | DNELs Exposure Pattern Worker | PNECs Compartment |
|---------------|----------------------------------|----------------------|
| Not Available | Not Available | Not Available |

* Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Not Available |

Not Applicable

Emergency Limits

| Ingredient | TEEL-1 | TEEL-2 | | TEEL-3 |
|-------------------------------------|---------------|---------------|---------------|---------------|
| 4-Aminopiperidine, N1-BOC protected | Not Available | Not Available | | Not Available |
| | | | | |
| Ingredient | Original IDLH | | Revised IDLH | |
| 4-Aminopiperidine, N1-BOC protected | Not Available | | Not Available | |

8.2. Exposure controls

| | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure. | | | | |
|--|--|---|---|--|--|
| 8 2 4 Annonista | Local exhaust ventilation usually required. If risk of overexpo- obtain adequate protection. Supplied-air type respirator may ensure adequate protection. An approved self contained breathing apparatus (SCBA) ma Provide adequate ventilation in warehouse or closed storage "escape" velocities which, in turn, determine the "capture vel contaminant. | be required in special circumstances. Correc y be required in some situations. area. Air contaminants generated in the worl | t fit is essential to xplace possess varying | | |
| 8.2.1. Appropriate engineering controls | Type of Contaminant: | Air Speed: | | | |
| | solvent, vapours, degreasing etc., evaporating from tank (i | 0.25-0.5 m/s (50-100 f/min.) | | | |
| | aerosols, fumes from pouring operations, intermittent conta welding, spray drift, plating acid fumes, pickling (released a generation) | 0.5-1 m/s (100-200 f/min.) | | | |
| | direct spray, spray painting in shallow booths, drum filling, discharge (active generation into zone of rapid air motion) | 1-2.5 m/s (200-500 f/min.) | | | |
| | grinding, abrasive blasting, tumbling, high speed wheel get velocity into zone of very high rapid air motion). | nerated dusts (released at high initial | 2.5-10 m/s (500-2000 f/min.) | | |
| | Within each range the appropriate value depends on: | | | | |
| | Lower end of the range | Upper end of the range | | | |
| | 1: Room air currents minimal or favourable to capture | 1: Disturbing room air currents | | | |
| | 2: Contaminants of low toxicity or of nuisance value only. | 2: Contaminants of high toxicity | | | |
| | | | | | |

| | 3: Intermittent, low production. | 3: High production, heavy use | | | |
|---|---|---|--|--|--|
| | 4: Large hood or large air mass in motion | 4: Small hood-local control only | | | |
| | generally decreases with the square of distance from extraction point should be adjusted, accordingly, after extraction fan, for example, should be a minimum of meters distant from the extraction point. Other mech | th distance away from the opening of a simple extraction pipe. Velocity m the extraction point (in simple cases). Therefore the air speed at the er reference to distance from the contaminating source. The air velocity at the f 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 hanical considerations, producing performance deficits within the extraction ocities are multiplied by factors of 10 or more when extraction systems are | | | |
| 2.2. Individual protection measures, such as personal protective equipment | | | | | |
| Eye and face protection | document, describing the wearing of lenses or r include a review of lens absorption and adsorpti Medical and first-aid personnel should be traine event of chemical exposure, begin eye irrigation be removed at the first signs of eye redness or i | tary but never for primary protection of eyes. contact lenses may absorb and concentrate irritants. A written policy restrictions on use, should be created for each workplace or task. This should ion for the class of chemicals in use and an account of injury experience. d in their removal and suitable equipment should be readily available. In the inmediately and remove contact lens as soon as practicable. Lens should irritation - lens should be removed in a clean environment only after workers Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] | | | |
| Skin protection | See Hand protection below | | | | |
| Hands/feet protection | manufacturer to manufacturer. Where the chemical can not be calculated in advance and has therefore The exact break through time for substances has to observed when making a final choice. Personal hygiene is a key element of effective hand should be washed and dried thoroughly. Application Suitability and durability of glove type is dependent · frequency and duration of contact, · chemical resistance of glove material, · glove thickness and · dexterity Select gloves tested to a relevant standard (e.g. Eu · When prolonged or frequently repeated contact ma greater than 240 minutes according to EN 374, AS// · When only brief contact is expected, a glove with a according to EN 374, AS/NZS 2161.10.1 or national · Some glove polymer types are less affected by mo long-term use. · Contaminated gloves should be replaced. As defined in ASTM F-739-96 in any application, glov · Excellent when breakthrough time > 480 min · Good when breakthrough time > 20 min · Fair when breakthrough time > 20 min · Poor when glove material degrades For general applications, gloves with a thickness type It should be emphasised that glove thickness is not permeation efficiency of the glove will be dependent should also be based on consideration of the task re Glove thickness may also vary depending on the glov manufacturers technical data should always be take Note: Depending on the activity being conducted, gl · Thinner gloves (down to 0.1 mm or less) may be re gloves are only likely to give short duration protectio · Thicker gloves (up to 3 mm or more) may be requir is abrasion or puncture potential | nd on the material, but also on further marks of quality which vary from is a preparation of several substances, the resistance of the glove material to be checked prior to the application. be obtained from the manufacturer of the protective gloves and has to be d care. Gloves must only be worn on clean hands. After using gloves, hands of a non-perfumed moisturiser is recommended. on usage. Important factors in the selection of gloves include: rope EN 374, US F739, AS/NZS 2161.1 or national equivalent). ay occur, a glove with a protection class of 5 or higher (breakthrough time NZS 2161.10.1 or national equivalent) is recommended. a protection class of 3 or higher (breakthrough time greater than 60 minutes I equivalent) is recommended. ovement and this should be taken into account when considering gloves for oves are rated as: | | | |
| Body protection | See Other protection below | | | | |
| Other protection | Overalls. PVC Apron. PVC protective suit may be required if exposure Evewash unit | e severe. | | | |

Eyewash unit.

Continued...

Ensure there is ready access to a safety shower.

Respiratory protection

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

| Required Minimum Protection Factor | Half-Face Respirator | Full-Face Respirator | Powered Air Respirator |
|------------------------------------|----------------------|----------------------|------------------------|
| up to 10 x ES | P1 Air-line* | - | PAPR-P1 - |
| up to 50 x ES | Air-line** | P2 | PAPR-P2 |
| up to 100 x ES | - | P3 | - |
| | | Air-line* | - |
| 100+ x ES | - | Air-line** | PAPR-P3 |

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

• Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

• Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

· Try to avoid creating dust conditions.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | White | | |
|--|---------------|--|----------------|
| | | | |
| Physical state | Divided Solid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Available | Decomposition temperature (°C) | Not Available |
| Melting point / freezing point (°C) | 44-48 | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | 80/0.037mm | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Applicable |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water | Immiscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

| Nanoform Solubility | Not Available | Nanoform Particle Characteristics | Not Available |
|---------------------|---------------|--------------------------------------|---------------|
| Particle Size | Not Available | | |

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

| 10.1.Reactivity | See section 7.2 |
|---|--|
| 10.2. Chemical stability | Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur. |
| 10.3. Possibility of hazardous reactions | See section 7.2 |
| 10.4. Conditions to avoid | See section 7.2 |
| 10.5. Incompatible materials | See section 7.2 |
| 10.6. Hazardous decomposition products | See section 5.3 |

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on toxicological effects

Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the 4-Aminopiperidine, irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe N1-BOC protected bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. RADS (or asthma) following an irritating inhalation is an infrequent disorder with rates related to the concentration of and duration of exposure to the irritating substance. On the other hand, industrial bronchitis is a disorder that occurs as a result of exposure due to high concentrations of irritating substance (often particles) and is completely reversible after exposure ceases. The disorder is characterized by difficulty breathing, cough and mucus production. **Acute Toxicity** ~ Carcinogenicity х **Skin Irritation/Corrosion** ~ Reproductivity × Serious Eye ~ STOT - Single Exposure × Damage/Irritation **Respiratory or Skin** × × **STOT - Repeated Exposure** sensitisation × × Mutagenicity **Aspiration Hazard**

Legend:

X − Data either not available or does not fill the criteria for classification
 ✓ − Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

| 4-Aminopiperidine, N1-BOC protected | Endpoint | Test Duration (hr) | Species | Value | Source |
|--|--|--------------------|---------------|------------------|------------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |
| Legend: | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data | | | | |

Prevent, by any means available, spillage from entering drains or water courses. **DO NOT** discharge into sewer or waterways.

12.2. Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|---------------------------------------|---------------------------------------|
| | No Data available for all ingredients | No Data available for all ingredients |

12.3. Bioaccumulative potential

| Ingredient | Bioaccumulation | |
|------------|---------------------------------------|--|
| | No Data available for all ingredients | |

12.4. Mobility in soil

| Ingredient | Mobility | |
|------------|---------------------------------------|--|
| | No Data available for all ingredients | |

12.5. Results of PBT and vPvB assessment

| | Р | В | т |
|-------------------------|---------------|---------------|---------------|
| Relevant available data | Not Available | Not Available | Not Available |
| РВТ | × | × | × |

No

No

PBT Criteria fulfilled?

vPvB

SECTION 13 Disposal considerations

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

No evidence of ozone depleting properties were found in the current literature.

13.1. Waste treatment methods

12.7. Other adverse effects

| Product / Packaging disposal | Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatment should involve: Mixing or slurrying in water; Neutralisation with suitable dilute acid followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed. |
|---------------------------------|--|
| Waste treatment options | Not Available |
| waste treatment options | |
| Sewage disposal options | Not Available |

SECTION 14 Transport information

Labels Required

| Marine Pollutant | NO |
|------------------|----|
| HAZCHEM | 2X |

Land transport (ADR-RID)

| 14.1. UN number or ID number | 3259 | |
|---------------------------------|--|----------------|
| 14.2. UN proper shipping name | AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S. | |
| 14.3. Transport hazard | Class | 8 |
| class(es) | Subsidiary risk | Not Applicable |
| 14.4. Packing group | Ш | |

| 14.5. | Environmental hazard | Not Applicable | |
|-------|----------------------------------|--------------------------------|----------|
| | .6. Special precautions for user | Hazard identification (Kemler) | 80 C8 |
| 14.6. | | Hazard Label | 8 |
| | | Special provisions | 274 |
| | | Limited quantity | 5 kg |
| | | Tunnel Restriction Code | 3 (E) |

Air transport (ICAO-IATA / DGR)

| 14.1. UN number | 3259 | | | | | |
|---------------------------------------|--|---------------------------------------|---------|--|--|--|
| 14.2. UN proper shipping name | Amines, solid, corrosive, n.o.s. *; Polyamines, solid, corrosive, n.o.s. * | | | | | |
| | ICAO/IATA Class | 8 | | | | |
| 14.3. Transport hazard class(es) | ICAO / IATA Subrisk | Not Applicable | | | | |
| Class(C s) | ERG Code 8L | | | | | |
| 14.4. Packing group | III | | | | | |
| 14.5. Environmental hazard | Not Applicable | | | | | |
| | Special provisions | | A3 A803 | | | |
| | Cargo Only Packing Ir | nstructions | 864 | | | |
| | Cargo Only Maximum Qty / Pack | | 100 kg | | | |
| 14.6. Special precautions for user | Passenger and Cargo | Packing Instructions | 860 | | | |
| | Passenger and Cargo | Maximum Qty / Pack | 25 kg | | | |
| | Passenger and Cargo | Limited Quantity Packing Instructions | Y845 | | | |
| | Passenger and Cargo | Limited Maximum Qty / Pack | 5 kg | | | |

Sea transport (IMDG-Code / GGVSee)

| 14.1. UN number | 3259 | | | |
|---------------------------------------|--|----------------|--|--|
| 14.2. UN proper shipping name | AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S. | | | |
| 14.3. Transport hazard | IMDG Class 8 | 3 | | |
| class(es) | IMDG Subrisk | Not Applicable | | |
| 14.4. Packing group | III | | | |
| 14.5. Environmental hazard | Not Applicable | | | |
| | EMS Number | F-A, S-B | | |
| 14.6. Special precautions for user | Special provisions | 223 274 | | |
| | Limited Quantities | 5 kg | | |

Inland waterways transport (ADN)

| 14.1. UN number | 3259 | | | |
|----------------------------------|--|--|--|--|
| 14.2. UN proper shipping name | AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S. | | | |
| 14.3. Transport hazard class(es) | 8 Not Applicable | | | |
| 14.4. Packing group | III | | | |
| 14.5. Environmental hazard | Not Applicable | | | |

| Classification code | C8 |
|---------------------|--|
| Special provisions | 274 |
| Limited quantity | 5 kg |
| Equipment required | PP, EP |
| Fire cones number | 0 |
| | Special provisions Limited quantity Equipment required |

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

| Product name | Group | | | | |
|---|-------|--|--|--|--|
| | | | | | |
| 14.7.3. Transport in bulk in accordance with the IGC Code | | | | | |

|--|

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

Not Applicable

National Inventory Status

| National Inventory | Status |
|--|--|
| Australia - AIIC / Australia Non-Industrial Use | Not Available |
| Canada - DSL | Not Available |
| Canada - NDSL | Not Available |
| China - IECSC | Not Available |
| Europe - EINEC / ELINCS / NLP | Not Available |
| Japan - ENCS | Not Available |
| Korea - KECI | Not Available |
| New Zealand - NZIoC | Not Available |
| Philippines - PICCS | Not Available |
| USA - TSCA | Not Available |
| Taiwan - TCSI | Not Available |
| Mexico - INSQ | Not Available |
| Vietnam - NCI | Not Available |
| Russia - FBEPH | Not Available |
| Legend: | Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration. |

SECTION 16 Other information

Issue Date: 16/05/2022 Print Date: 24/04/2023

4-Aminopiperidine, N1-BOC protected

| Revision Date | 16/05/2022 |
|---------------|------------|
| Initial Date | 16/05/2022 |

Full text Risk and Hazard codes

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit。 IDLH: Immediately Dangerous to Life or Health Concentrations ES: Exposure Standard **OSF: Odour Safety Factor** NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value **BCF: BioConcentration Factors** BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals **DSL: Domestic Substances List** NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances Powered by AuthorITe, from Chemwatch.