

2,2-DIFLUOROETHAN-1-OL 97%

Page: 1

Compilation date: 25/01/2007

Revision date: 02/08/2018

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: 2,2-DIFLUOROETHAN-1-OL 97%

CAS number: 359-13-7

Product code: PC2805

Synonyms: 1,1-DIFLUORO-2-HYDROXYETHANE

2,2-DIFLUOROETHANOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Apollo Scientific Ltd

	Units 3 & 4
	Parkway
	Denton
	Manchester
	M34 3SG
	UK
Tel:	0161 337 9971
Fax:	0161 336 6932
Email:	david.tideswell@apolloscientific.co.uk

1.4. Emergency telephone number

Emergency tel: -

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; Flam. Liq. 2: H225; Skin Irrit. 2: H315Most important adverse effects: Highly flammable liquid and vapour. Causes skin irritation. Causes serious eye

irritation.

2.2. Label elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Hazard pictograms: GHS02: Flame

GHS07: Exclamation mark

2,2-DIFLUOROETHAN-1-OL 97%



 Signal words:
 Danger

 Precautionary statements:
 P260: Do not breathe vapours.

 P271: Use only outdoors or in a well-ventilated area.

 P280: Wear protective gloves/protective clothing/eye protection/face protection.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: 2,2-DIFLUOROETHAN-1-OL 97%

CAS number: 359-13-7

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.
 Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.
 Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

- **Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.
- Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the surrounding fire should be used.

Page: 2

2,2-DIFLUOROETHAN-1-OL 97%

5.2. Special hazards arising fro	om the substance or mixture	
Exposure nazards:	Highly flammable. Forms explosive air-vapour mixture. Vapour may travel considerable	
	distance to source of ignition and flash back. In combustion emits toxic fumes.	
	Hydrogen fluoride (HF).	
5.3. Advice for fire-fighters		
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact	
	with skin and eyes.	
ection 6: Accidental release r	neasures	
6.1. Personal precautions, prot	tective equipment and emergency procedures	
· · · · · · ·	Refer to section 8 of SDS for personal protection details. If outside do not approach from	
	downwind. If outside keep bystanders upwind and away from danger point. Mark out the	
	contaminated area with signs and prevent access to unauthorised personnel. Turn	
	leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of	
	ignition.	
6.2. Environmental precautions	3	
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.	
6.3. Methods and material for c	containment and cleaning up	
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for	
	disposal by an appropriate method. Do not use equipment in clean-up procedure which	
	may produce sparks.	
6.4. Reference to other section	S	
ection 7: Handling and storage		
solion 7. nanuling and storag		
7.1. Precautions for safe handl	-	
7.1. Precautions for safe handl	-	
7.1. Precautions for safe handl	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.	
7.1. Precautions for safe handl	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.	
7.1. Precautions for safe handl Handling requirements:	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.	
 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storage 	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. Only use in fume hood. e, including any incompatibilities	
7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storage	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. Only use in fume hood. e, including any incompatibilities Store in a cool, well ventilated area. Keep container tightly closed. Keep away from	
 7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storage 	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. Only use in fume hood. e, including any incompatibilities Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area.	
7.1. Precautions for safe handl Handling requirements: 7.2. Conditions for safe storage Storage conditions:	ing Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools. Only use in fume hood. e, including any incompatibilities Store in a cool, well ventilated area. Keep container tightly closed. Keep away from	

Specific end use(s): No data available.

Page: 3

2,2-DIFLUOROETHAN-1-OL 97%

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical
	equipment are not a source of ignition.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Impermeable gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Colourless	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	No data available.	
Viscosity:	No data available.	
Boiling point/range °C:	95-96 Melting point/range °C:	-28
Flammability limits %: lower:	No data available. upper:	No data available.
Flash point ℃:	3 Part.coeff. n-octanol/water:	No data available.
Autoflammability °C:	No data available. Vapour pressure:	No data available.
Relative density:	1.296 pH :	No data available.
VOC g/l:	No data available.	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

2,2-DIFLUOROETHAN-1-OL 97%

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Hydrogen fluoride

(HF).

Section 11: Toxicological information

11.1. Information on toxicological effects

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

2,2-DIFLUOROETHAN-1-OL 97%

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods	5
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company. MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL,
	STATE AND FEDERAL REGULATIONS
Disposal of packaging:	Dispose of as special waste in compliance with local and national regulations Observe
	all federal, state and local environmental regulations.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: * UN1987

14.2. UN proper shipping name

Shipping name: ALCOHOLS, N.O.S.

(2,2-Difluoroethan-1-ol)

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: * ||

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Tunnel code: D/E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Marine pollutant: No

2,2-DIFLUOROETHAN-1-OL 97%

Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * Data predicted using computational software. The OECD QSAR-Toolbox for grouping chemicals into categories. Developed by LMC bulgaria. http://echa.europa.eu/support/oecd-qsar-toolbox ~ Data predicted using computational software ACD/ToxSuite v 2.95.1 Copyright 1994-2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc_admet/tox/tox/ Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour. H315: Causes skin irritation. H319: Causes serious eye irritation. Legal disclaimer: .The material is intended for research purposes only and should be handled exclusively by those who have been fully trained in safety, laboratory and chemical handling procedures. The above information is believed to be correct to the best of our knowledge. The above information is believed to be correct to the best of our knowledge at the date of its publication, but should not be considered to be all inclusive. It should be used only as a guide for safe handling, storage, transportation and disposal. We cannot guarantee that the hazards detailed in this document are the only hazards that exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.