

Apollo Scientific

Part Number: **PC500693** Version No: **1.1** Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Chemwatch Hazard Alert Code: 2

Issue Date: 20/05/2022 Print Date: 01/08/2023 S.REACH.GBR.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name	Methyl 4-lodo-3-(trifluoromethyl)benzoate	
Chemical Name	ot Applicable	
Synonyms	Available	
Chemical formula	Not Applicable	
Other means of identification	Not Available	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Not Available
Uses advised against	No specific uses advised against are identified.

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	Apollo Scientific	
Address	hitefield Road, Bredbury SK62QR United Kingdom	
Telephone	1614060505	
Fax	0161 406 0506	
Website	http://www.apolloscientific.co.uk/	
Email	sales@apolloscientific.co.uk	

1.4. Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and	H335 - Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, H315 - Skin Corrosion/Irritation Category 2, H319 - Serious Eye Damage/Eye Irritation Category 2
amendments ^[1]	
Legend:	1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

Hazard pictogram(s)	
Signal word	Warning

Hazard statement(s)

H335	May cause respiratory irritation.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fumes.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1. CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
Not Available	100	Methyl 4-lodo- 3-(trifluoromethyl)benzoate	Not Applicable	Not Applicable	Not Available

Legend:

1. Classified by Chernwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from

C&L; * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

5.3. Advice for firefighters

Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. May emit corrosive fumes.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing dust and contact with skin and eyes. Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust. Sweep up, shovel up or
--------------	---

	 Vacuum up (consider explosion-proof machines designed to be grounded during storage and use). Place spilled material in clean, dry, sealable, labelled container.
Major Spills	 Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses. Recover product wherever possible. IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal. IF WET: Vacuum/shovel up and place in labelled containers for disposal. ALWAYS: Wash area down with large amounts of water and prevent runoff into drains. If contamination of drains or waterways occurs, advise Emergency Services.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Fire and explosion protection	See section 5
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. For major quantities: Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams). Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities.

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	 Lined metal can, lined metal pail/ can. Plastic pail. Polyliner drum. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known Light sensitive
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to	Not Available

in Article 3(10) for the application of

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
Not Available	Not Available	Not Available

* Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
Methyl 4-Iodo- 3-(trifluoromethyl)benzoate	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
Methyl 4-lodo- 3-(trifluoromethyl)benzoate	Not Available		Not Available	

8.2. Exposure controls

•				
	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.			
8.2.1. Appropriate engineering controls	 Local exhaust ventilation is required where solids are had large, a certain proportion will be powdered by mutual frid If in spite of local exhaust an adverse concentration of the considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an a (b): filter respirators with absorption cartridge or canister of the (c): fresh-air hoods or masks. Air contaminants generated in the workplace possess varyin velocities" of fresh circulating air required to effectively removing the solution of the solu	ction. e substance in air could occur, respirator absorption cartridge; ne right type; g "escape" velocities which, in turn, deter	y protection should be	
	Type of Contaminant:		Air Speed:	
	direct spray, spray painting in shallow booths, drum filling, discharge (active generation into zone of rapid air motion)	conveyer loading, crusher dusts, gas	1-2.5 m/s (200-500 f/min.)	
	grinding, abrasive blasting, tumbling, high speed wheel gen velocity into zone of very high rapid air motion).	nerated dusts (released at high initial	2.5-10 m/s (500-2000 f/min.)	
	Within each range the appropriate value depends on:			
	Lower end of the range	Upper end of the range		
	1: Room air currents minimal or favourable to capture	1: Disturbing room air currents		
	2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity		

4: Large hor Simple theory generally dec extraction poi extraction poi extraction fan distant from ti apparatus, mi installed or us8.2.2. Individual protection measures, such as personal protective equipmentImage: Contact le document include a Medical a event of c be removi have wasEye and face protectionSafety gla Chemical Contact le document include a Medical a event of c be removi have wasSkin protectionSee Hand pro- can not be can The selection manufacturer can not be can the exact bre observed whe Personal hygi should be was Suitability and chemical res glove thickni dexterity Select gloves When prolor greater than 2	A provide the first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the is chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed in a clean environment only after workers as a protection below. The the chemical is a preparation of several substances, the resistance of the glove material calculated in advance and has therefore to be checked prior to the application. The substances has to be obtained from the manufacturer of the protective gloves and has to be hen making a final choice. If you have the source of the protection of a non-perfumed moisturiser is recommended. In the glove type is dependent on usage. Important factors in the selection of gloves include: and durability of glove type is dependent on usage. Important factors in the selection of gloves include: and durability of glove type is dependent on usage. Important factors in the selection of gloves include: and duration of contact, esistance of glove material, esistance of glove material, and durability of glove type is dependent on usage. Important factors in the selection of gloves include: and duration of contact, esistance of glove material, esistance of glove material, esistance of glove material, esistance of glove material, the selection of gloves and has the selection of a non-perfumed moisturiser is recommended.
Simple theory generally dec extraction poi extraction fan distant from ti apparatus, mi installed or us8.2.2. Individual protection measures, such as personal protective equipmentImage: Comparison equipmentEye and face protectionSafety gla • Chemical • Contact le document include a Medical a event of c be remove have wasSkin protectionSee Hand protection manufacturer can not be can The selection manufacturer can not be can the exact bre observed whe Personal hygi should be was Suitability and • frequency at equipment a frequency at when protor greater than a frequency at equipment a frequency at equipment a frequency at equipment a frequency at equipment a frequency at extention at the personal hygi should be way suitability and eremove equipment at the personal hygi should be way suitability and eremove end the personal hygi should be way <b< th=""><th>In y shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity coreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the oint should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the an, for example, should be a minimum of 4-10 m/s (800-2000 f/min) for extraction of cusherd usts generated 2 metres the extraction point. Other mechanical considerations, producing performance deficits within the extraction make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are used. If all assess with side shields. al goggles. [AS/NZS 1337.1, EN166 or national equivalent] lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy int, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the i chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should ved at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers ashed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59]. orotection below on of suitable gloves does not only depend on the material, but also on further marks of quality which vary from er to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material calculated in advance and has therefore to be checked prior to the application. read first align of yole type is dependent on usage. Important factors in the selection of gloves include: and bra</th></b<>	In y shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity coreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the oint should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the an, for example, should be a minimum of 4-10 m/s (800-2000 f/min) for extraction of cusherd usts generated 2 metres the extraction point. Other mechanical considerations, producing performance deficits within the extraction make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are used. If all assess with side shields. al goggles. [AS/NZS 1337.1, EN166 or national equivalent] lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy int, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the i chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should ved at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers ashed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59]. orotection below on of suitable gloves does not only depend on the material, but also on further marks of quality which vary from er to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material calculated in advance and has therefore to be checked prior to the application. read first align of yole type is dependent on usage. Important factors in the selection of gloves include: and bra
generally dec extraction poi extraction fan distant from ti apparatus, mainstalled or us8.2.2. Individual protection measures, such as personal protective equipmentImage: Chemical equipmentEye and face protection• Safety gla • Chemical • Contact le document include a Medical a event of c be removic have wasSkin protectionSee Hand protection manufacturer can not be ca The exact bre observed whe Personal hygi should be was Suitability and • frequency at • chemical res • glove thickn • dexterity Select gloves • When protor greater than 2	Ecreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the orint should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the an, for example, should be a minimum of 4-10 m/s (800-2000 f/min) for extraction of cursher dusts generated 2 metres in the extraction point. Other mechanical considerations, producing performance deficits within the extraction make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are used. Image: The extraction point. Other mechanical considerations, producing performance deficits within the extraction systems are used. Image: The extraction point. The product of the p
measures, such as personal protective equipment* Safety gla * Chemical * Chemical * Contact le document include a Medical a event of c be remove have wasSkin protectionSee Hand protectionSkin protectionThe selection manufacturer can not be ca The exact ber observed whe Personal hygi should be was Suitability and frequency at chemical res glove thickn verter than 2	al goggles. [AS/NZS 1337.1, EN166 or national equivalent] lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy ant, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the i chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be ved at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers ashed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59]. protection below on of suitable gloves does not only depend on the material, but also on further marks of quality which vary from er to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material calculated in advance and has therefore to be checked prior to the application. areak through time for substances has to be obtained from the manufacturer of the protective gloves and has to be hen making a final choice. <i>r</i> giene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands <i>r</i> ashed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. and durability of glove type is dependent on usage. Important factors in the selection of gloves include: and durability of glove material, esistance of glove material,
Eye and face protection Contact le document include a Medical a event of c be remove have was Skin protection See Hand protection Skin protection See Hand protection manufacturer can not be can the exact bre observed whe Personal hygi should be was Suitability and frequency at chemical reserved whe personal hygi should be was Suitability and frequency at chemical reserved when personal hygi should be was Suitability and frequency at chemical reserved when personal hygi should be was Suitability and frequency at chemical reserved when personal hygi should be was Suitability and frequency at chemical reserved when personal hygi should be was Suitability and frequency at chemical reserved when personal hygi should be was Suitability and frequency at the desterity select gloves of the protocing reserved when protocing rester than 2 and the personal hygi should be was Suitability and frequency at the desterity select gloves of the protocing rester than 2 and the personal hygi should be was Suitability and the desterity select gloves of the protocing rester than 2 and the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity select gloves of the personal hygi should be was Suitability and the desterity s	al goggles. [AS/NZS 1337.1, EN166 or national equivalent] lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy ant, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the i chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be eadily available. In the i chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be eaded hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59]. protection below on of suitable gloves does not only depend on the material, but also on further marks of quality which vary from er to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material calculated in advance and has therefore to be checked prior to the application. areak through time for substances has to be obtained from the manufacturer of the protective gloves and has to be hen making a final choice. <i>r</i> giene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands <i>r</i> ashed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. and durability of glove type is dependent on usage. Important factors in the selection of gloves include: and durability of glove material,
The selection manufacturer can not be ca The exact bre observed whe Personal hygi should be wa Suitability and frequency at chemical res glove thickn dexterity Select gloves When prolor greater than 2	on of suitable gloves does not only depend on the material, but also on further marks of quality which vary from er to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material calculated in advance and has therefore to be checked prior to the application. weak through time for substances has to be obtained from the manufacturer of the protective gloves and has to be hen making a final choice. weigene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. In durability of glove type is dependent on usage. Important factors in the selection of gloves include: and duration of contact, esistance of glove material,
manufacturer can not be ca The exact bre observed whe Personal hygi should be wa Suitability and frequency au chemical res glove thickn dexterity Select gloves When prolor greater than 2	er to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material calculated in advance and has therefore to be checked prior to the application. The application is a final choice of the glove material from the manufacturer of the protective gloves and has to be hen making a final choice. The application of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Ind durability of glove type is dependent on usage. Important factors in the selection of gloves include: and duration of contact, resistance of glove material,
Hands/feet protection Hands/feet protection Gove thickness Hands/feet protection	es tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent). toronged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time 1 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended. 2 brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes 2 be N 374, AS/NZS 2161.10.1 or national equivalent) is recommended. 2 re polymer types are less affected by movement and this should be taken into account when considering gloves for se. ated gloves should be replaced. in ASTM F-739-96 in any application, gloves are rated as: when breakthrough time > 480 min n breakthrough time > 20 min breakthrough time > 20 min applications, gloves with a thickness typically greater than 0.35 mm, are recommended. emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection be based on consideration of the task requirements and knowledge of breakthrough times. ness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the ers technical data should always be taken into account to ensure selection of the most appropriate glove for the task. roling on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example: oves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these only likely to give short duration protection and would normally be just for single use applications, then disposed of. Doves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there or puncture potential et only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Appl

Gloves should be examined for wear and/ or degradation constantly.

Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream. Eye wash unit.

Respiratory protection

Type -P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(AII classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 degC)

· Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

• The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

• Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

• Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

· Use approved positive flow mask if significant quantities of dust becomes airborne.

 \cdot Try to avoid creating dust conditions.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Cream		
Physical state	Divided Solid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable

Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on toxicological effects

Inhaled	using animal models). Nevertheless, good hygiene practice req measures be used in an occupational setting. Persons with impaired respiratory function, airway diseases and further disability if excessive concentrations of particulate are in	red or if kidney damage has been sustained, proper screenings	
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.		
Eye	This material can cause eye irritation and damage in some persons.		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung.		
Methyl 4-lodo-	ΤΟΧΙΟΙΤΥ	IRRITATION	
3-(trifluoromethyl)benzoate	Not Available	Not Available	
Legend:	1. Value obtained from Europe ECHA Registered Substances -	Acute toxicity 2. Value obtained from manufacturer's SDS.	

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	×	Reproductivity	×
Serious Eye Damage/Irritation	*	STOT - Single Exposure	*
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×

Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Legend:

Data either not available or does not fill the criteria for classification
 Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

Methyl 4-lodo- 3-(trifluoromethyl)benzoate	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data				

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

12.5. Results of PBT and vPvB assessment

	Р	В	т
Relevant available data	Not Available	Not Available	Not Available
PBT	×	×	×
vPvB	×	×	×
PBT Criteria fulfilled?			
vPvB			No

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.
disposal	A Hierarchy of Controls seems to be common - the user should investigate:

Continued...

Methyl 4-lodo-3-(trifluoromethyl)benzoate

	▶ Reduction
	▶ Reuse
	▶ Recycling
	▶ Disposal (if all else fails)
	This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf
	life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use,
	and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted.
	DO NOT allow wash water from cleaning or process equipment to enter drains.
	It may be necessary to collect all wash water for treatment before disposal.
	In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
	Where in doubt contact the responsible authority.
	Recycle wherever possible or consult manufacturer for recycling options.
	Consult State Land Waste Management Authority for disposal.
	Bury residue in an authorised landfill.
	Recycle containers if possible, or dispose of in an authorised landfill.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Class Not Applica Subsidiary risk Not Applica		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Hazard identification (Kemler)	Not Applicable	
	Classification code	Not Applicable	
14.6. Special precautions for user	Hazard Label	Not Applicable	
	Special provisions	Not Applicable	
	Limited quantity	Not Applicable	
	Tunnel Restriction Code	Not Applicable	

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
14.3. Transport hazard class(es)	ICAO/IATA Class	Not Applicable		
	ICAO / IATA Subrisk	Not Applicable		
	ERG Code	Not Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions		Not Applicable	
14.6. Special precautions for user	Cargo Only Packing Instructions		Not Applicable	
	Cargo Only Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo Packing Instructions		Not Applicable	

Passenger and Cargo Maximum Qty / Pack	Not Applicable
Passenger and Cargo Limited Quantity Packing Instructions	Not Applicable
Passenger and Cargo Limited Maximum Qty / Pack	Not Applicable

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	IMDG Class	Not Applicable	
	IMDG Subrisk	Not Applicable	
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	EMS Number	Not Applicable	
14.6. Special precautions for user	Special provisions	Not Applicable	
	Limited Quantities	Not Applicable	

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Classification code	Not Applicable	
	Special provisions N	Not Applicable	
14.6. Special precautions for user	Limited quantity N	Not Applicable	
	Equipment required N	Not Applicable	
	Fire cones number N	Not Applicable	

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
14.7.3. Transport in bulk i	n accordance with the IGC Code
Product name	Ship Type

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category Not Available

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

ECHA SUMMARY

Not Applicable

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	Not Available
Canada - DSL	Not Available
Canada - NDSL	Not Available
China - IECSC	Not Available
Europe - EINEC / ELINCS / NLP	Not Available
Japan - ENCS	Not Available
Korea - KECI	Not Available
New Zealand - NZIoC	Not Available
Philippines - PICCS	Not Available
USA - TSCA	Not Available
Taiwan - TCSI	Not Available
Mexico - INSQ	Not Available
Vietnam - NCI	Not Available
Russia - FBEPH	Not Available
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	20/05/2022
Initial Date	20/05/2022

Full text Risk and Hazard codes

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

- EN 166 Personal eye-protection
- EN 340 Protective clothing
- EN 374 Protective gloves against chemicals and micro-organisms
- EN 13832 Footwear protecting against chemicals
- EN 133 Respiratory protective devices

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL :No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value

LOD: Limit Of Detection OTV: Odour Threshold Value **BCF: BioConcentration Factors** BEI: Biological Exposure Index AIIC: Australian Inventory of Industrial Chemicals **DSL:** Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Powered by AuthorITe, from Chemwatch.

