

Apollo Scientific

Part Number: **PC51213** Version No: **3.3** Safety Data Sheet (Conforms to Annex II of REACH (1907/2006) - Regulation 2020/878) Chemwatch Hazard Alert Code: 2

Issue Date: **05/07/2023** Print Date: **18/07/2023** S.REACH.GBR.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

1.1. Product Identifier

Product name	1-Chloro-5-nitro-2-(trifluoromethyl)pyridine		
Chemical Name	Chloro-5-nitro-2-(trifluoromethyl)pyridine		
Synonyms	Not Available		
Chemical formula	Not Available		
Other means of identification	Not Available		
CAS number	438554-45-1*		

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Not Available
Uses advised against	No specific uses advised against are identified.

1.3. Details of the manufacturer or supplier of the safety data sheet

Registered company name	Apollo Scientific	Apollo Scientific Itd		
Address	Whitefield Road, Bredbury SK62QR United Kingdom Whitefield Road, Bredbury Cheshire SK6 2QR Unite Kingdom (NI) Kingdom (NI)			
Telephone	01614060505 +44(0) 161 406 0505			
Fax	0161 406 0506 Not Available			
Website	http://www.apolloscientific.co.uk/ apolloscientific.co.uk			
Email	sales@apolloscientific.co.uk sales@apolloscientific.co.uk			

1.4. Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	Not Available
Other emergency telephone numbers	Not Available

SECTION 2 Hazards identification

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments ^[1]

H335 - Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, H315 - Skin Corrosion/Irritation Category 2, H319 - Serious Eye Damage/Eye Irritation Category 2

Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

2.2. Label elements

Hazard pictogram(s)	
Signal word	Warning

Hazard statement(s)

H335	May cause respiratory irritation.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	

Supplementary statement(s)

Not Applicable

Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.		
P337+P313	If eye irritation persists: Get medical advice/attention.		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.		
P332+P313	If skin irritation occurs: Get medical advice/attention.		
P362+P364	Take off contaminated clothing and wash it before reuse.		

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
------	--

2.3. Other hazards

REACH - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 Composition / information on ingredients

3.1.Substances

1. CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	SCL / M-Factor	Nanoform Particle Characteristics
1. 438554-45-1* 2.Not Available 3.Not Available 4.Not Available	100	<u>4-Chloro-5-nitro-</u> 2-(trifluoromethyl)pyridine	Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3 , Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2; H335, H315, H319 ^[1]	Not Available	Not Available

Legend: 1. Classified by Chemwatch; 2. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 3. Classification drawn from C&L; * EU IOELVs available; [e] Substance identified as having endocrine disrupting properties

3.2.Mixtures

See 'Information on ingredients' in section 3.1

SECTION 4 First aid measures

4.1. Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

5.1. Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	lone known.
----------------------	-------------

5.3. Advice for firefighters

-	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Fire/Explosion Hazard	 Non combustible. Not considered a significant fire risk, however containers may burn. May emit corrosive fumes.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal.
Major Spills	 Moderate hazard. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect recoverable product into labelled containers for recycling. Neutralise/decontaminate residue (see Section 13 for specific agent). Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains. After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using. If contamination of drains or waterways occurs, advise emergency services.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with moisture. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
Fire and explosion protection	See section 5
Other information	

7.2. Conditions for safe storage, including any incompatibilities

Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	None known Store under argon
Hazard categories in accordance with Regulation (EC) No 1272/2008	Not Available
Qualifying quantity (tonnes) of dangerous substances as referred to in Article 3(10) for the application of	Not Available

7.3. Specific end use(s)

See section 1.2

SECTION 8 Exposure controls / personal protection

8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
Not Available	Not Available	Not Available

* Values for General Population

Occupational Exposure Limits (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Not Available						

Not Applicable

Emergency Limits

Ingredient	TEEL-1	TEEL-2		TEEL-3
4-Chloro-5-nitro- 2-(trifluoromethyl)pyridine	Not Available	Not Available		Not Available
Ingredient	Original IDLH		Revised IDLH	
4-Chloro-5-nitro- 2-(trifluoromethyl)pyridine	Not Available		Not Available	
Occupational Exposure Ban	ding			
Ingredient	Occupational Exposure Band Rating		Occupational Exp	osure Band Limit

4-Chloro-5-nitro- 2-(trifluoromethyl)pyridine	E	≤ 0.1 ppm
Notes:	Occupational exposure banding is a process of assigning chemica potency and the adverse health outcomes associated with exposu- band (OEB), which corresponds to a range of exposure concentra	ire. The output of this process is an occupational exposure

8.2. Exposure controls

8.2.1. Appropriate	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. engineering controls can be highly effective in protecting workers and will typically be independent of wor provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an a designed properly. The design of a ventilation system must match the particular process and chemical or Employers may need to use multiple types of controls to prevent employee overexposure. General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be requir circumstances. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain a Provide adequate ventilation in warehouse or closed storage areas. Air contaminants generated in the w varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air requir the contaminant.	rker interactions to worker and ventilation air contaminant if r contaminant in use. red in specific adequate protection. orkplace possess
engineering controls	Type of Contaminant:	Air Speed:
	Type of Contaminant: solvent, vapours, degreasing etc., evaporating from tank (in still air).	Air Speed: 0.25-0.5 m/s (50-100 f/min)
		0.25-0.5 m/s
	solvent, vapours, degreasing etc., evaporating from tank (in still air). aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active	0.25-0.5 m/s (50-100 f/min) 0.5-1 m/s
	solvent, vapours, degreasing etc., evaporating from tank (in still air). aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas	0.25-0.5 m/s (50-100 f/min) 0.5-1 m/s (100-200 f/min.) 1-2.5 m/s
	solvent, vapours, degreasing etc., evaporating from tank (in still air). aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion) grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial	0.25-0.5 m/s (50-100 f/min) 0.5-1 m/s (100-200 f/min.) 1-2.5 m/s (200-500 f/min.) 2.5-10 m/s

I - Room air currents minima or fusiourable to capture I - Desturbing norm air currents I - Containing of low insolution I - Containing of low insolutin I - Containing of low insolution I - Containing of low			
3. Intermittent, low production. 3. High production, heavy use 4. Large broad or large air mass in motion 4. Small broad-local control only sense of the analysis of the square of distance from the extraction point (in simple cases). The selection point (south are widely at extraction point should be a minimum of 1.2 ms/ 200.400 timin) for extraction appendix the square of distance from the extraction point (south are widely at extraction point should be a minimum of 1.2 ms/ 200.400 timin) for extraction of solvem extraction sparses and states from the adjusted, accordingly, after reference to distance from the extraction sparses are extraction this, for example, should be a minimum of 1.2 ms/ 200.400 timin) for extraction of solvem extraction systems are installed or used. 8.2.2. Individual protection personal protective equipment Simple Test State Test State Test State Test State Test State extraction the solvem protective and the theoretical air velocities are multiplied by factors of 1.0 or more when extraction systems are installed or used. Feys and face protection equipment Simple Test State Test State Test State Test State extraction test State Test State Test State Test State extraction test State		1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
4: Large hood or large air mass in motion 4: Small hood-local control only: Simple theory shows that air velocity tails rapidly with distance away from the opening of a simple ease; Therefore the air speed at the extraction point, or high eases). Therefore the air speed at the extraction point, or high eases). Therefore the air speed at the extraction point, or high eases). Therefore the air speed at the extraction point, or high eases). Therefore the air speed at the extraction point, of the mechanical considerations, producing performance deficits within the extraction point. Other mechanical considerations, producing performance deficits within the extraction point. Other mechanical considerations, producing performance deficits within the extraction point. Other mechanical considerations, producing performance deficits within the extraction point. Other mechanical considerations of 10 or more with extraction systems are interference to disance the maximum of the extraction point. Other mechanical considerations of 10 or more with extraction points are performed by tailors of 10 or more with extraction systems are interference to achieve and the extraction point with the extraction point without be previous and an account of the previous of the assessment of the transes or therein conso on a should be crowed or these. This shout include a network of them absorption and absorption to the class of chemicals in use and an account of they specience. There were defined as and the account of the previous of them absorption and absorption of the category of them assessment of the transes of them extraction point work of them absorption and absorption than date in the array resolute is and an account of the previous of the event of the event of them absorption and absorption the class of themicals in use and an account of the previous of the event of the event of the event of the event of themetas and the event of themetas and the event		2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
Handbook Simple heavy shows that air velocity fails rapidly with distance away from the opening of a simple estination pipe. Velocity generally decreases with the square of distance from the software into its distance from the containing source. The air velocity it that a struction pine. The air velocity is extraction pine. The air velocity is extraction pine. The air velocity is extracted pine. The air velocity is a structure air velocity is an extracted pine. The air velocity is an extracted pine. The air velocity pine. The ai		3: Intermittent, low production.	3: High production, heavy use
epocally decreases with the square's decarding, where reference to distance from the cartactorianting source. The air valued by at extraction part, for example, should be a minimum of 1-2 mc (200-400 kmm) for extractori of a values in generated in a tark 2. 8.2.2. Individual protection generated in a straction part of the extractoring on the extractoring on the cartactoring on the extractoring on t		4: Large hood or large air mass in motion	4: Small hood-local control only
measures, such as protective equipment Statey glasses with side shields. Chemical gogges [LSNXE3 1371, EN166 or national equivalent] Contact lenses may pose a special heard, cot contact lenses may abord and concentrate infrants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This shou much a strate equipment should be treated of reach workplace or task. This shou much are not of heir experime. Medical and first-aid personnel should be greated or each workplace on a special beard. Lens should be removed in a dasa more contact lens as soon as practicable. Lens should be removed in a dasa networker thanks through (ICCN NOSH Current Intelligence Bulletin 59). Skin protection See Hand protection below The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from nareulacture. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be write in testistic or of gloves include: integration of contact may coccr, a glove with a protection discos of night protective gloves include: integrating the sex performent of the soft protective gloves include: integrating and unability of glove tipes to glove material; elevited in a strate and protection of gloves include: integrating and unability of glove to the application. Hereath beak through time is zyptication of a non-pertuneed missional equivalent). Beel gloves totated to a relevant standard (e.g. Europe EN 374, ASNZS 2161.1 or national		generally decreases with the square of distance from the ext extraction point should be adjusted, accordingly, after referent extraction fan, for example, should be a minimum of 1-2 m/s meters distant from the extraction point. Other mechanical or apparatus, make it essential that theoretical air velocities are	traction point (in simple cases). Therefore the air speed at the nce to distance from the contaminating source. The air velocity at the (200-400 f/min) for extraction of solvents generated in a tank 2 onsiderations, producing performance deficits within the extraction
 Polenical goggles. (ASN/25 1337 1, EN166 or national equivalent) Contact lenses may pose a pose in hazard; set or contact lenses may absorb and concentrate initiants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This shoul include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained and suitable equipment should be trained variable. Lens should be removed in a class the protection in the iter site of even endoses or initiation - lens should be removed in a clean environment only after workers have washed hands thoroughly. (EDC NIOSH Current Intelligence Bulletin 59). Skin protection Ske Hand protection below See Hand protection below See Hand protection below The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from mandacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for aubstances has to be chained from the manufacturer of the protective gloves and has to be observed when making a final choice. Frequency and duration of contact, a glove with a protection class of S or higher (breakthrough time greater than 200 minutes according to EN 374, ASNZ2 2161.10 or national equivalent). When protonged or frequently repeated contact may court, a glove with a protection class of S or higher (breakthrough time greater than 200 minutes according to EN 374, ASNZ2 2161.10 or national equivalent). When protonged or frequently repeated contact may court, a glove with a protection class of S or higher (breakthrough time greater than 200 minutes according	measures, such as personal protective		
Hands/feet protection Hands/feet protection As defined in ASTM F-739-96 in any application, gloves are rated as: • Score gloves should be reakthrough time > 20 min • Por when gloves and lass affected by movement and this should be taken into account when considering gloves for long-term use. • Contaminated gloves should be replaced. • As defined as all policy ploy in the reakthrough time > 20 min • Por when gloves material degrades • Contaminated gloves should be replaced. • Contaminated gloves should be transformed. • Contaminated gloves bound be taken to usage. Important factors in the selection of gloves include: • frequency and duration of contact, • chemical resistance of glove material, • glove thickness and • dexterity Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent). • When only brief contact is expected, a glove with a protection class of 5 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.1 or national equivalent) is recommended. • Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use. • Contaminated gloves should be replaced. • As defined in ASTM F-739-96 in any application, gloves are rated as: • Excellent when breakthrough t	Eye and face protection	 Chemical goggles. [AS/NZS 1337.1, EN166 or national e Contact lenses may pose a special hazard; soft contact l document, describing the wearing of lenses or restriction include a review of lens absorption and adsorption for the Medical and first-aid personnel should be trained in their event of chemical exposure, begin eye irrigation immedia be removed at the first signs of eye redness or irritation - 	enses may absorb and concentrate irritants. A written policy as on use, should be created for each workplace or task. This should e class of chemicals in use and an account of injury experience. removal and suitable equipment should be readily available. In the ately and remove contact lens as soon as practicable. Lens should e lens should be removed in a clean environment only after workers
 Hands/feet protection Select gloves thede of a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent). When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time gloves should be replaced). When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time) statisticates has the class of 3 or higher (breakthrough time) statisticates in the selection class of 3 or higher (breakthrough time) for substances of a statistication of a non-perfumed moisturiser is recommended. Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include: requency and durability of glove type is dependent on usage. Important factors in the selection of gloves include: requency and durability of glove type is dependent on usage. Important factors in the selection of gloves include: chemical resistance of glove material. glove thickness and dexterity	Skin protection	See Hand protection below	
 Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended. Wear chemical protective gloves, e.g. PVC. 	Hands/feet protection	 manufacturer to manufacturer. Where the chemical is a prep can not be calculated in advance and has therefore to be chemical inclusion of the exact break through time for substances has to be obtain observed when making a final choice. Personal hygiene is a key element of effective hand care. Glishould be washed and dried thoroughly. Application of a non Suitability and durability of glove type is dependent on usage if requency and duration of contact, chemical resistance of glove material, glove thickness and dexterity Select gloves tested to a relevant standard (e.g. Europe EN. When prolonged or frequently repeated contact may occur, greater than 240 minutes according to EN 374, AS/NZS 2161. When only brief contact is expected, a glove with a protectia according to EN 374, AS/NZS 2161.10.1 or national equivale. Some glove polymer types are less affected by movement along-term use. Contaminated gloves should be replaced. As defined in ASTM F-739-96 in any application, gloves are Excellent when breakthrough time > 20 min Fair when breakthrough time < 20 min Poor when glove material degrades For general applications, gloves with a thickness typically grading application, gloves manufacturers technical data should always be taken into action of the glove manufacturers technical data should always be taken into action of the glove manufacturers technical data should always be taken into action of the gloves (down to 0.1 mm or less) may be required where is abrasion or puncture potential Gloves must only be worn on clean hands. After using glover on on-perfumed moisturiser is recommended. 	earation of several substances, the resistance of the glove material ecked prior to the application. Ined from the manufacturer of the protective gloves and has to be loves must only be worn on clean hands. After using gloves, hands i-perfumed moisturiser is recommended. a. Important factors in the selection of gloves include: 374, US F739, AS/NZS 2161.1 or national equivalent). a glove with a protection class of 5 or higher (breakthrough time 1.10.1 or national equivalent) is recommended. on class of 3 or higher (breakthrough time greater than 60 minutes ent) is recommended. and this should be taken into account when considering gloves for rated as:
	Body protection	Wear safety footwear or safety gumboots, e.g. Rubber See Other protection below.	

Body protection See Other protection below

Issue Date: 05/07/2023 Print Date: 18/07/2023

4-Chloro-5-nitro-2-(trifluoromethyl)pyridine

|--|

8.2.3. Environmental exposure controls

See section 12

SECTION 9 Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Not Available		
	·		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Nanoform Solubility	Not Available	Nanoform Particle Characteristics	Not Available
Particle Size	Not Available		

9.2. Other information

Not Available

SECTION 10 Stability and reactivity

10.1.Reactivity	See section 7.2
10.2. Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

SECTION 11 Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. Value obtained from manufacturer's SDS. Legend: Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

Acute Toxicity	×	Carcinogenicity	×
Skin Irritation/Corrosion	¥	Reproductivity	×
Serious Eye Damage/Irritation	×	STOT - Single Exposure	*
Respiratory or Skin sensitisation	×	STOT - Repeated Exposure	×
Mutagenicity	×	Aspiration Hazard	×
	Le	gend: 🗙 – Data either not ava	ailable or does not fill the criteria for classification

< – Data available to make classification

11.2 Information on other hazards

11.2.1. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

11.2.2. Other information

See Section 11.1

SECTION 12 Ecological information

12.1. Toxicity

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity Legend: 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) -Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

12.4. Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

12.5. Results of PBT and vPvB assessment

Р

	Р	В	т	
Relevant available data	Not Available	Not Available	Not Av	ailable
PBT	×	×	×	
vPvB	×	×	×	
PBT Criteria fulfilled?			No	
vPvB			No	

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties were found in the current literature.

12.7. Other adverse effects

No evidence of ozone depleting properties were found in the current literature.

SECTION 13 Disposal considerations

13.1. Waste treatment methods

Product / Packaging disposal	 Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate: Reduction Reuse Recycling Disposal (if all else fails) This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. DO NOT allow wash water from cleaning or process equipment to enter drains. It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sever may be subject to local laws and regulations and these should be considered first. Where in doubt contact the responsible authority. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.
Waste treatment options	Not Available
Sewage disposal options	Not Available

SECTION 14 Transport information

Labels Required

Marine Pollutant	NO
HAZCHEM	Not Applicable

Land transport (ADR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number or ID number	Not Applicable	Not Applicable	
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Class Subsidiary risk	Not Applicable	
14.4. Packing group	Not Applicable	Not Applicable	
14.5. Environmental hazard	Not Applicable		

Continued...

4-Chloro-5-nitro-2-(trifluoromethyl)pyridine

	Hazard identification (Kemler)	Not Applicable
	Classification code	Not Applicable
14.6. Special precautions	Hazard Label	Not Applicable
for user	Special provisions	Not Applicable
	Limited quantity	Not Applicable
	Tunnel Restriction Code	Not Applicable

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable			
	ICAO/IATA Class Not Applicable			
14.3. Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable		
0	ERG Code	ERG Code Not Applicable		
14.4. Packing group	Not Applicable			
14.5. Environmental hazard	Not Applicable			
	Special provisions		Not Applicable	
	Cargo Only Packing Instructions		Not Applicable	
	Cargo Only Maximum Qty / Pack		Not Applicable	
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		Not Applicable	
	Passenger and Cargo Maximum Qty / Pack		Not Applicable	
	Passenger and Cargo	Limited Quantity Packing Instructions	Not Applicable	
	Passenger and Cargo Limited Maximum Qty / Pack		Not Applicable	

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable			
14.2. UN proper shipping name	Not Applicable	Not Applicable		
14.3. Transport hazard	IMDG Class N	Not Applicable		
class(es)	IMDG Subrisk N	Not Applicable		
14.4. Packing group	Not Applicable	Not Applicable		
14.5. Environmental hazard	Not Applicable			
	EMS Number	Not Applicable		
14.6. Special precautions for user	Special provisions	Not Applicable		
	Limited Quantities	Not Applicable		

Inland waterways transport (ADN): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

14.1. UN number	Not Applicable		
14.2. UN proper shipping name	Not Applicable		
14.3. Transport hazard class(es)	Not Applicable Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Classification code Not Applicable		
14.6. Special precautions for user	Special provisions Not Applicable		
	Limited quantity Not Applicable		

Equipment required	Not Applicable
Fire cones number	Not Applicable

14.7. Maritime transport in bulk according to IMO instruments

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Product name	Group
4-Chloro-5-nitro- 2-(trifluoromethyl)pyridine	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
4-Chloro-5-nitro- 2-(trifluoromethyl)pyridine	Not Available

SECTION 15 Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

4-Chloro-5-nitro-2-(trifluoromethyl)pyridine is found on the following regulatory lists

Not Applicable

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable - : Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, - 2010/75/EU; Commission Regulation (EU) 2020/878; Regulation (EC) No 1272/2008 as updated through ATPs.

Information according to 2012/18/EU (Seveso III):

Seveso Category	Not Available

15.2. Chemical safety assessment

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

ECHA SUMMARY

Ingredient	CAS number	Index No		ECHA Do	ossier
4-Chloro-5-nitro- 2-(trifluoromethyl)pyridine	438554-45-1*	Not Available		Not Avail	able
Harmonisation (C&L Inventory)	Hazard Class and Category Code(s)		Pictograms Signa Code(s)	Word	Hazard Statement Code(s)
1	Skin Irrit. 2: Eve Irrit. 2		GHS07: Wng		H315: H319: H335

2	Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Acute Tox. 4; Acute Tox. 4; Acute Tox. 4;	GHS07; Wng

Harmonisation Code 1 = The most prevalent classification. Harmonisation Code 2 = The most severe classification.

National Inventory Status

National Inventory	Status
Australia - AIIC / Australia Non-Industrial Use	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Canada - DSL	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Canada - NDSL	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
China - IECSC	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Europe - EINEC / ELINCS / NLP	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Japan - ENCS	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Korea - KECI	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)

H315; H319; H335; H302;

H312; H332

National Inventory	Status
New Zealand - NZIoC	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Philippines - PICCS	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
USA - TSCA	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Taiwan - TCSI	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Mexico - INSQ	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Vietnam - NCI	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Russia - FBEPH	No (4-Chloro-5-nitro-2-(trifluoromethyl)pyridine)
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.

SECTION 16 Other information

Revision Date	05/07/2023
Initial Date	05/07/2023

Full text Risk and Hazard codes

H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H332	Harmful if inhaled.	

SDS Version Summary

Version	Date of Update	Sections Updated
2.3	05/07/2023	Hazards identification - Classification, Korean MSDS Number, Identification of the substance / mixture and of the company / undertaking - Supplier Information

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

- EN 166 Personal eye-protection
- EN 340 Protective clothing
- EN 374 Protective gloves against chemicals and micro-organisms
- EN 13832 Footwear protecting against chemicals
- EN 133 Respiratory protective devices

Definitions and abbreviations

- PC TWA: Permissible Concentration-Time Weighted Average
- PC STEL: Permissible Concentration-Short Term Exposure Limit
- IARC: International Agency for Research on Cancer
- ACGIH: American Conference of Governmental Industrial Hygienists
- STEL: Short Term Exposure Limit
- TEEL: Temporary Emergency Exposure Limit.
- IDLH: Immediately Dangerous to Life or Health Concentrations
- ES: Exposure Standard
- OSF: Odour Safety Factor
- NOAEL :No Observed Adverse Effect Level
- LOAEL: Lowest Observed Adverse Effect Level
- TLV: Threshold Limit Value
- LOD: Limit Of Detection
- OTV: Odour Threshold Value
- BCF: BioConcentration Factors
- BEI: Biological Exposure Index
- AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List NDSL: Non-Domestic Substances List IECSC: Inventory of Existing Chemical Substance in China EINECS: European INventory of Existing Commercial chemical Substances ELINCS: European List of Notified Chemical Substances NLP: No-Longer Polymers ENCS: Existing and New Chemical Substances Inventory KECI: Korea Existing Chemicals Inventory NZIOC: New Zealand Inventory of Chemicals PICCS: Philippine Inventory of Chemicals and Chemical Substances TSCA: Toxic Substances Control Act TCSI: Taiwan Chemical Substance Inventory INSQ: Inventario Nacional de Sustancias Químicas NCI: National Chemical Inventory FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Classification according to regulation (EC) No 1272/2008 [CLP] and amendments	Classification Procedure
Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, H335	Expert judgement
Skin Corrosion/Irritation Category 2, H315	Expert judgement
Serious Eye Damage/Eye Irritation Category 2, H319	Expert judgement

Powered by AuthorITe, from Chemwatch.

